SUBJECT INDEX

A

Abamectin
  insecticide research and, 10
Abdominal tip
  phytophagous scarab beetles and, 39
Abies spp.
  fire and North American forest insects, 110, 117
Abiotic factors
  ecology of Arctic environments and, 89
  hazelnut pests and, 395, 405–6
Abundance
  malaria parasite development in mosquitoes and, 519
  species
    ecology of Arctic environments and, 85–86, 91
Acari
  ecology of Arctic environments and, 100
  fire and North American forest insects, 120
  indirect sperm transfer and, 161–62
Acarinocola spp.
  mite diseases and, 452
Accelerating cost function
  plasticity in life-history traits and, 66
Acer spp.
  fire and North American forest insects, 111
Acetylcholine
  insecticide research and, 10–11
8-O-Acetylharpagide
  insecticide insect hormone mimics and, 562–63
Acorus calamus
  spatial heterogeneity and adaptation, 578
Acrosternum hilare
  eradication and, 482
Activity patterns
  ecology of Arctic environments and, 85
Aculeata
  host-parasitoid interactions in Hymenoptera and, 141, 144
Acyrthosiphon spp.
  aphid/*Buchnera* symbiosis and nutrition, 21–25, 27–28, 31
  ecology of Arctic environments and, 90–91, 95, 98–99
Adaptive growth-rate variation
  plasticity in life-history traits and, 65–66
Adaptive plasticity
  life-history traits and, 63–64, 70, 75
Adaptive response
  cold
    ecology of Arctic environments and, 85–86, 89, 94, 96, 99–101
  pest
    manipulating natural enemies and, 356–58
  sustainability of transgenic insecticidal cultivars and, 701–2, 704
  to toxins
    spatial heterogenity and, 571–87
Additive inheritance
  sustainability of transgenic insecticidal cultivars and, 709
ADMIRAL®
  insecticide insect hormone mimics and, 557
Adoretus sinicus
  chemical ecology and, 55
Adoxophyes orana
  insecticide insect hormone mimics and, 558, 560–61
Aedes spp.
  ecology of Arctic environments and, 92, 97
  eradication and, 472, 484
  insecticide insect hormone mimics and, 555
  transcriptional control and, 675, 688
Aestivation
  nonfrugiverous tephritid fruit flies and, 230
Africa
  biological control of weeds and, 373
  malaria parasite development in mosquitoes and, 519–20, 522, 529, 531–32, 534
  phytophagous scarab beetles and, 49
  spider coloration and, 626
Agathis thompsoni
  higher-order predators and, 437
Agelastica spp.
  hazelnut pests and, 401
Agelenidae
  spider coloration and, 623
Agent selection
  biological control of weeds and, 375, 376
Aggregation pheromones
  phytophagous scarab beetles and, 39, 41, 43, 47, 49
Aggregative life-history strategy
  nonfrugiverous tephritid fruit flies and, 228–29
Agonist-antagonist activities
  of enantiomeric pheromones
    phytophagous scarab beetles and, 39, 50–51
Agonum spp.
  fire and North American forest insects, 119
Agroecosystem sustainability
  integrated pest management and, 260–61
Ajuga reptans
  insecticide insect hormone mimics and, 562
Alanycarb
  insecticide research and, 2
Alaska
  ecology of Arctic environments and, 86, 97–98
  fire and North American forest insects, 108–10, 118
  plasticity in life-history traits and, 75
Aldehyde
  phytophagous scarab beetles and, 44
Aldicarb
  insecticide research and, 2, 10
Aldoximes
  insecticide research and, 6
Aldrin
  insecticide research and, 2, 5
Alabama
  eradication and, 480–81, 483
Alaska
  stream environment biodiversity and, 281

Alberta
Coccinellidae in biological control and, 298
Aleurocanthus woglumi
eradication and, 472
Alien weeds
biological control of weeds and, 382, 384–85
Aliesterases
insecticide research and, 9, 12
Allantonematidae
mite diseases and, 452
Allethrin
insecticide research and, 2
Alphitobius diaperinus
insecticide insect hormone mimics and, 558
Altitude
ecology of Arctic environments and, 93–94
fire and North American forest insects, 108, 113
spatial heterogeneity and adaptation, 573
spider coloration and, 630
stream environment biodiversity and, 282
Amaurobius spp.
spider coloration and, 623
Amazon Basin
stream environment biodiversity and, 283
Amber
mite diseases and, 450–51
Amblyseius hibisci
mite diseases and, 450
Ames test
insecticide research and, 7
Amino acids
aphid/*Buchnera* symbiosis and nutrition, 17, 24–27, 29–31, 33
Buchnera symbionts and, 25
derivatives
chemical ecology and, 42
phytophagous scarab beetles and, 39, 46–48
malaria parasite development in mosquitoes and, 526
Amitraz
insecticide research and, 11
Ammonia
aphid/*Buchnera* symbiosis and nutrition, 27
Amphipods
spatial heterogeneity and adaptation, 585
Anaerobiosis
ecology of Arctic environments and, 85, 100
Anax junius
insecticide insect hormone mimics and, 561
Androctonus australis
recombinant baculovirus insecticides and, 495, 502
Anicetus beneficius
higher-order predators and, 436
Anisogramma anomala
hazelnut pests and, 410
Anobiidae
aphid/*Buchnera* symbiosis and nutrition, 18
Anomala spp.
chemical ecology and, 40, 43–46, 49–52, 54–56
insecticide insect hormone mimics and, 556
Anopheles spp.
ecology of Arctic environments and, 91
malaria parasite development in mosquitoes and, 519–25, 527–32
transcriptional control and, 689
Anoplura
aphid/*Buchnera* symbiosis and nutrition, 18
Anoplus roberis
hazelnut pests and, 402
Antagonistic selection
plasticity in life-history traits and, 65, 70, 73
Antennae
phytophagous scarab beetles and, 39–40, 44, 52, 55, 57
Anteraea pernyi
transcriptional control and, 683
Anthonomous grandis
eradication and, 480
insecticide insect hormone mimics and, 554–55
Antibiosis
sustainability of transgenic insecticidal cultivars and, 702, 704
Antibodies
malaria parasite development in mosquitoes and, 521, 526, 530, 533
Anticarsia gemmatalis
spatial heterogeneity and adaptation, 578
Antifreeze proteins
ecology of Arctic environments and, 86, 98–99
Ants
aphid/*Buchnera* symbiosis and nutrition, 18
ecology of Arctic environments and, 94–95
eradication and, 483–84, 471–72
higher-order predators and, 423
host-parasitoid interactions in Hymenoptera and, 134–36
insecticide insect hormone mimics and, 558
plasticity in life-history traits and, 72
Anyphaenidae
spider coloration and, 622
Aphaereta scaptomyzae
higher-order predators and, 437
Aphelinidae
higher-order predators and, 436
Aphids
Buchnera symbionts and, 17–33
Coccinellidae in biological control and, 306
ecology of Arctic environments and, 87–91, 93, 95, 97, 99
higher-order predators and, 430–431, 433–34, 436–37
mite diseases and, 452
Aphodinae
chemical ecology and, 40
Aphytis holoxanthus
insecticide insect hormone mimics and, 561
Apical sternites
phytophagous scarab beetles and, 39, 41, 51
Apis mellifera
eradication and, 476
insecticide insect hormone mimics and, 556
Apocrita
host-parasitoid interactions in Hymenoptera and, 134–39
Apoidea
host-parasitoid interactions in Hymenoptera and, 142
Aposematism
spider coloration and, 634
Appalachian Mountains
fire and North American forest insects, 110
recombinant baculovirus insecticides and, 507
Apparent competition
recombinant baculovirus insecticides and, 502
Applied ecology
integrated pest management and, 243
Aptery
ecology of Arctic environments and, 95–96
Aquarius remigis
plasticity in life-history traits and, 73

Arachnida
coloration and, 619–38
indirect sperm transfer and, 160–62
mite diseases and, 449–66
Araneidae
ecology of Arctic environments and, 97
spider coloration and, 621–26, 628, 631, 633–34, 636
Araneomorphae
spider coloration and, 623
Araneus spp.
spider coloration and, 623, 625, 633
Archips spp.
hazelnut pests and, 404–5
insecticide insect hormone mimics and, 560
Arctic environments
fire and North American forest insects, 109
insect ecology in
activity patterns, 93
anaerobiosis, 100
aptery, 95–96
basking, 92
behavior, 92–93
brachtyptery, 95–96
cold adaptation, 99–100
cold hardiness, 98–99
dehydration resistance, 100–1
dessication resistance, 100–1
distribution, 90–92
future research, 101
life cycle, 96–98
melanism, 92–93
microhabitat selection, 91–92
morphology, 93–98
overview, 85–87
perspectives, 85–86
physiology, 98–101
size reduction, 93–95
species diversity, 87–90
Arctosa perita
spider coloration and, 633
Area-wide effects
sustainability of transgenic insecticidal cultivars and, 701
Area-wide integrated pest management systems
eradication vs, 471, 488–89
overview, 254
Area-wide suppression
eradication and, 489
Argentina
biological control of weeds and, 373
Argiope spp.
spider coloration and, 622, 626, 633–34, 636
Argyrodes spp.
spider coloration and, 621, 636
Arizona
eradication and, 481
integrated pest management and, 250
mite diseases and, 461
Armadillidium klugii
spider coloration and, 634
arn genes
aphid/*Buchnera* symbiosis and nutrition, 26
Arsenic
insecticide research and, 2
Arthrobotrys oligospora
higher-order predators and, 429
Arthropods
aphid/*Buchnera* symbiosis and nutrition, 17
ecology of Arctic environments and, 88, 95
higher-order predators and, 421–23, 438
indirect sperm transfer and, 153–69
insecticide insect hormone mimics and, 556
insecticide research and, 12
sustainability of transgenic insecticidal cultivars and, 720
"Artificial honeydew"
Coccinellidae in biological control and, 301
"Asbestos forests"
fire and North American forest insects, 112
Asia
eradication and, 477
hazelnut pests and, 396–402, 406, 408, 413
Asobara tabida
higher-order predators and, 437
Asymmetry
plasticity in life-history traits and, 69
Augmentation
biological control of weeds and, 370–71
Coccinellidae in biological control and, 307–9
hazelnut pests and, 395, 410
Australia
biological control of weeds and, 369, 371–73
ecology of Arctic environments and, 88
integrated pest management and, 246
mite diseases and, 452–53
plasticity in life-history traits and, 73
stream environment biodiversity and, 282–83
Australasia
spatial heterogeneity and adaptation, 584
Autographa californica
recombinant baculovirus insecticides and, 495, 502
Automated sequencing
recombinant baculovirus insecticides and, 508
Avicularia avicularia
spider coloration and, 623
Avoidance
spatial heterogeneity and adaptation, 572, 585–86
spider coloration and, 635
AWARE®
insecticide insect hormone mimics and, 557
Azadirachtin
insecticide research and, 2, 12
spatial heterogeneity and adaptation, 578
Azinphosmethyl
hazelnut pests and, 408

B

Bacillus sphaericus
higher-order predators and, 426–27
Bacillus thuringiensis endotoxin
hazelnut pests and, 395, 411–13
higher-order predators and, 425–27
insecticide research and, 13
mite diseases and, 461
spatial heterogeneity and adaptation, 579–82
sustainability of transgenic insecticidal cultivars and, 701–2, 704–7, 714, 717, 719
Background matching
spider coloration and, 625
Bacteria
aphid/*Buchnera* symbiosis and, 17–33
higher-order predators and, 425–27
insecticide research and, 4, 15
mite diseases and, 449, 451, 460–61

phytophagous scarab beetles and, 56
Bacteriocytes
aphid/*Buchnera* symbiosis and nutrition, 18
Bacteriophages
higher-order predators and, 421, 426
Baculovirus insecticides
recombinant
direct impacts on nontarget species, 497–500
dispersal, 506–8
distribution and composition of wild-type baculovirus populations, 508
environmental release, 495–96
exposure identification, 504–9
genetic transfer, 508–9
impact evaluation, 496–97, 509–10
impact identification, 497–504
indirect impacts on nontarget species, 500–3
overview, 493–94
perspectives, 493–94
speed of host kill and productivity, 503–4
stability, 505–9
translocation, 505–6
transmission dynamics theory, 504–5
wild-type baculovirus bioinsecticides, 494–95
research and, 4, 13
Balaninus nucum
hazelnut pests and, 397, 399–400, 405–9
Ballooning
recombinant baculovirus insecticides and, 507
Bamesia tabaci
insecticide insect hormone mimics and, 561
Basin scale
stream environment biodiversity and, 271–86
Basking
ecology of Arctic environments and, 92
Bathyphantes eumenis
spider coloration and, 629
Beauveria spp.
higher-order predators and, 424–25
mite diseases and, 456
Behavioral response
burying beetles and, 595–614
ecology of Arctic environments and, 85, 92–93
fire
North American forests and, 109
hazelnut pests and, 406–7
indirect sperm transfer in arthropods and, 153–69
malaria parasite development in mosquitoes and, 519, 521–22, 525, 531–33
Mantispidae and, 184–85, 189–91
nonfrugiverous tephritid fruit flies and, 219
spatial heterogeneity and adaptation, 571–72, 575–86
spider coloration and, 626–27
wasp caste determination and, 327
Bemisia argentifolii
higher-order predators and, 433
Benefits
eradication and, 471, 473–74
Benin
biological control of weeds and, 373
Benzoyl phenylureas
insecticide research and, 12
Bergmann's rule
ecology of Arctic environments and, 94
Bering Sea
fire and North American forest insects, 110
β-oxidation
phytophagous scarab beetles and, 53
Betula papyrifera
fire and North American forest insects, 110
Bias
eradication and, 473–74
"Big bud symptoms"
hazelnut pests and, 402
Bilins
spider coloration and, 620–21
Biological agents
insecticide research and, 4, 8, 12
Biological control
hazelnut pests and, 395
higher-order predators and, 421
predaceous Coccinellidae in aphids, 306
augmentation, 307–9
candidate species, 302–3, 307
case histories, 305, 308
conservation, 296–301
Delphastus pusillus, 308–9
disruption of biological control, 303
evaluation, 304–5, 308
food supplements, 301
future research, 309–10
harvesting, 298–99
Hippodamia convergens, 309
importation, 301–6
landscape design, 300–1
overview, 295–96
perspectives, 295–96
pesticides, 297–98
pest-resistant varieties, 299
psyllids, 306
quarantine, 303
rearing and release methods, 304, 307–8
refuges, 299–300
scales, 305–6
whitefly, 305
weeds and
agent selection, 375–76
alien weeds, 382, 384–85
augmentation using insects, 371
augmentation using pathogens, 370–71
choice of target weeds, 373–75
classical, 371–73
conflicts of interest, 374–75
countries actively involved, 372–73
damage to non-target plants, 381–83
definitions, 370
economic benefits, 380–81
evaluation, 377–79
failures, 379–80
future research, 382, 384–85
host-specificity testing, 376–77
legislation, 371–72
overview, 369–71
probability of success, 373–74
procedures, 375–79
risk assessment, 385
successes, 379–80
Biological Control Act of 1984
Australian
biological control of weeds and, 371
Biologically intensive integrated pest management
overview, 259
Biome
stream environment biodiversity and, 282–83
Biorational approaches
insecticide research and, 12

Biparental care
burying beetles and, 595, 601–9
Bisacylhydrazines
insecticide insect hormone mimics and, 545, 548–56
Black Sea region
hazelnut pests and, 397–98, 401, 406
Blaesoxipha spp.
higher-order predators and, 434
Blattaria
aphid/*Buchnera* symbiosis and nutrition, 18
Blatella germanica
insecticide insect hormone mimics and, 558
Blitophertha spp.
chemical ecology and, 45
Blood-feeding behavior
malaria parasite development in mosquitoes and, 519, 521–22, 525, 531–33
of Mantispidae on spiders, 181–82
Boarding
Mantispidae and, 179–84, 187–89
Body size
ecology of Arctic environments and, 94–95
plasticity in life-history traits and, 63
Boll weevil
eradication and, 471, 478, 480–82
Bombyx mori
transcriptional control and, 674–76, 678–79, 682, 684–87, 689
Book lungs
larval entry into Mantispidae and, 182–83
Boophilus annulatus
eradication and, 478
Boreal forest ecosystems
North American
fire and insects in, 107–20
Boric acid
insecticide research and, 2
Bostrychidae
aphid/*Buchnera* symbiosis and nutrition, 18
Botanical agents
hazelnut pests and, 412
insecticide research and, 2–3, 6, 8, 10–11, 15
Bottlenecks
developmental
malaria parasite development in mosquitoes and, 523–24, 529
population
spider coloration and, 628
Bottom-up effects
higher-order predators and, 421–22
Brachyptery
ecology of Arctic environments and, 95–96
Bracon hebetor
higher-order predators and, 432
Braconidae
higher-order predators and, 437
recombinant baculovirus insecticides and, 502
Brazil
integrated pest management and, 257–58
Breeding
plant
manipulating natural enemies and, 360
Britain
biological control of weeds and, 372
spider coloration and, 633
British Columbia
Coccinellidae in biological control and, 302
eradication and, 474, 482–83, 485, 487–88
fire and North American forest insects, 120
Broad-spectrum organic insecticides
hazelnut pests and, 395
Brooks Range
fire and North American forest insects, 110
"Brown stain"
hazelnut pests and, 401, 407
Buchnera spp.
nutritional interactions with aphid symbionts and
aphid microbiota, 19–22
approaches not currently available, 23–24
characteristics of symbiosis, 20–21
dietary studies, 24–25
diversity of microorganisms in aphids, 21–22
essential amino acid provisioning, 24–26
lipids, 27–28
location of bacteria, 20–21
maternal inheritance of bacteria, 21
metabolic studies, 25, 30–31
molecular biology, 23, 26
mutual dependence on symbiosis, 21
nitrogen recycling and upgrading, 26–27
nonnutritional functions of *Buchnera* in aphids, 31–32
nutritional independence of aphids, 27–28
nutritional physiology, 22–23
overview, 17–19
perspectives, 17–19
sterols, 27–28
variation between aphid taxa, 29
vitamins, 28–29
Buprestids
fire and North American forest insects, 114, 118
Buprestis nuttalli
fire and North American forest insects, 118
Burkina Faso
malaria parasite development in mosquitoes and, 532
Burying beetles
biparental care, 601
alternative male mate-finding tactics, 608–9
carcass size, 610
conflict of interests between males and females, 608
defense against competitors and predators, 603–4
facultative adjustments, 607–8
feeding, 602–3
male defense, 606–7
parental behaviors, 602
paternal care, 604–8
relative beetle sizes, 610–11
timetable of larval development, 605
communal breeding
ecological factors for evolution of, 612–13
frequency, 609–11
outcome, 611–12
polyandry, 612
polygyny, 612
community composition, 596
carcass size, 600
competition with other taxa, 600–1
habitat preferences, 599–600
resource partitioning, 597–600
seasonal patterns, 597–99
temporal patterns, 597–99
future research, 613–14
introduction, 595–96
Buthidae
recombinant baculovirus insecticides and, 495

Byrdia groenlandica
ecology of Arctic environments and, 91

C

Cacopsylla pyricola
insecticide insect hormone mimics and, 560
Caenorhabditis elegans
transcriptional control and, 672
California
Coccinellidae in biological control and, 302, 304, 306–9
eradication and, 475, 481, 486–88
fire and North American forest insects, 120
hazelnut pests and, 396, 403, 411
integrated pest management and, 244, 247, 250
mite diseases and, 461–62
Calliphora vicina
transcriptional control and, 679
Camphene
insecticide research and, 5
Camponotus spp.
aphid/*Buchnera* symbiosis and nutrition, 18
Canada
biological control of weeds and, 369, 372–73
burying beetles and, 597, 599, 606
Coccinellidae in biological control and, 298, 302
eradication and, 473–74, 482–83, 485–88
fire and North American forest insects, 108, 110, 112, 115–17, 119–20
hazelnut pests and, 398
integrated pest management and, 244–256
mite diseases and, 461
northern
ecology of Arctic environments and, 86, 92, 95, 97–99
Canalization
plasticity in life-history traits and, 64–65, 75, 77
Cancer
insecticide research and, 7
Candidate species
Coccinellidae in biological control and, 302–3, 307
Carabidae
fire and North American forest insects, 119
Carbamates
spatial heterogeneity and adaptation, 578
Carbaryl
gypsy moth and, 485
hazelnut pests and, 408
insecticide research and, 2–3, 6, 10
Carbofuran
insecticide research and, 2
Carbon dioxide
ecology of Arctic environments and, 86
Caribbean
malaria parasite development in mosquitoes and, 520
Carrion
burying beetles and, 595–97, 599–14
Cartap
insecticide research and, 10
Caucasus
hazelnut pests and, 396
Cave spiders
darkening of
spider coloration and, 625–26
Cecidophyopsis vermiformis
hazelnut pests and, 402, 405
Central America
eradication and, 476
Centris pallida
plasticity in life-history traits and, 67
Cephus cinctus
sustainability of transgenic insecticidal cultivars and, 702–3
Cerambycidae
aphid/*Buchnera* symbiosis and nutrition, 18
fire and North American forest insects, 112, 114, 118
Ceraphronoidea
host-parasitoid interactions in Hymenoptera and, 143, 146
Ceratitis capitata
transcriptional control and, 689
Ceratocanthidae
chemical ecology and, 40
Ceratocystis ulmi
eradication and, 472
Ceratoppia spp.
mite diseases and, 457
Cetoniinae
chemical ecology and, 40–41
CGA 59205
insecticide insect hormone mimics and, 557
Chain shortening
phytophagous scarab beetles and, 39, 52
Chalcidoidea
host-parasitoid interactions in Hymenoptera and, 143, 145
Chamaecyparis nootkatensis
fire and North American forest insects, 110
Chaoborus americanus
plasticity in life-history traits and, 71
Charips spp.
higher-order predators and, 431
Chelicerates
indirect sperm transfer and, 155
Chemical agents
hazelnut pests and, 407–8
insecticide research and, 4
Chemical-biological interactions
insecticide research and, 14–15
Chemical ecology
phytophagous scarab beetles and, 39–58
Chermes piceae
fire and North American forest insects, 117
Chile
biological control of weeds and, 373
Chilocorus bipustulatus
insecticide insect hormone mimics and, 561
Chilo suppressalis
insecticide insect hormone mimics and, 553
Chilopoda
indirect sperm transfer and, 159
China
biological control of weeds and, 373
Chirality
phytophagous scarab beetles and, 39, 43–44, 50–51
Chironomus spp.
ecology of Arctic environments and, 93, 97
insecticide insect hormone mimics and, 547, 553–54, 561
transcriptional control and, 681–82
Chitinase
malaria parasite development in mosquitoes and, 522, 525
Chlordane
insecticide research and, 2, 5

Chlordimeform
insecticide research and, 11
Chlorethoxyphos
insecticide research and, 2
Chlorfenapyr
insecticide research and, 10
Chloride channel blockers
insecticide research and, 9
Chlorinated hydrocarbons
insecticide research and, 1–5, 8
integrated pest management and, 257
Chloronicotinyl compounds
insecticide research and, 9
Chlorpyriphos
hazelnut pests and, 408
insecticide research and, 2–3
Chlortetracycline
aphid/*Buchnera* symbiosis and nutrition, 32
Chorion
transcriptional control and, 683–84
Choristoneura spp.
fire and North American forest insects, 107, 113–14, 116–17
hazelnut pests and, 404–6, 411–12
insecticide insect hormone mimics and, 550, 552–53, 555, 558
spatial heterogeneity and adaptation, 580
Chromaphis juglandicola
hazelnut pests and, 411
Chrysidoidea
host-parasitoid interactions in Hymenoptera and, 142
Chrysomelidae
aphid/*Buchnera* symbiosis and nutrition, 18
Chrysomphalus aonidium
insecticide insect hormone mimics and, 561
Chrysoperla carnea
higher-order predators and, 438
Cimicidae
aphid/*Buchnera* symbiosis and nutrition, 18
Cinara piceae
ecology of Arctic environments and, 88
Circadian rhythm
phytophagous scarab beetles and, 47
Circulative articles
aphid/*Buchnera* symbiosis and nutrition, 17
Circulative viruses
aphid/*Buchnera* symbiosis and nutrition, 32
Circumnatal life-history strategy
nonfrugiverous tephritid fruit flies and, 229
Circumsporozoite (CS) protein
malaria parasite development in mosquitoes and, 527, 529
cis-acting DNA sequences
transcriptional control and, 675–80
Cladistics
phytophagous scarab beetles and, 56
Classical biological control
hazelnut pests and, 411
weeds and, 371–73
Climate
stressful
ecology of Arctic environments and, 85–101
Clines
ecology of Arctic environments and, 96
Closterocerus tricinctus
higher-order predators and, 436
Clubionidae
spider coloration and, 623
Clutch size
nonfrugiverous tephritid fruit flies and, 232–33
Cnaphalocrocis medinalis
insecticide insect hormone mimics and, 555
Co-adapted syndromes
plasticity in life-history traits and, 77
Coastal forests
Alaskan
fire and North American forest insects, 110
Coccinellidae
predaceous
biological control and, 295–10
Cochluomyia hominivorax
eradication and, 476
Co-gradient selection
plasticity in life-history traits and, 65, 77
Cold hardiness
ecology of Arctic environments and, 85–101
Coleomegilla maculata
sustainability of transgenic insecticidal cultivars and, 717
Coleoptera
aphid/*Buchnera* symbiosis and nutrition, 18
fire and North American forest insects, 112, 119
insecticide insect hormone mimics and, 548, 550–52, 554, 556, 560–61
insecticide research and, 13
mite diseases and, 452
Collembola
ecology of Arctic environments and, 93, 97, 100–1
fire and North American forest insects, 120
indirect sperm transfer and, 157–58
Colonization
ecology of Arctic environments and, 88–90, 94
Colorado
fire and North American forest insects, 111, 113
Coloration
spider, 619–38
Colpoclypeus florus
insecticide insect hormone mimics and, 561
Commercial use
Encarsia formosa and, 655–60
sustainability of transgenic insecticidal cultivars and, 704, 716–19
Communal breeding
burying beetles and, 595, 609–13
Communication
chemical
phytophagous scarab beetles and, 39, 41–49
Community composition
burying beetles and, 596–601
Community ecology
hazelnut pests and, 407
Community structure effects
manipulating natural enemies and, 352–53
Comperiella bifasciata
higher-order predators and, 436
Competition
burying beetles and, 595, 600–1, 603–4
ecology of Arctic environments and, 90
recombinant baculovirus insecticides and, 502
CONFIRM®
insecticide insect hormone mimics and, 548
Conflicts of interest
biological control of weeds and, 374–75
burying beetles and, 608

Conidiobolus spp.
mite diseases and, 454
Conopthorus resinosae
fire and North American forest insects, 111
Conotrachelus posticatus
fire and North American forest insects, 111
Conservation
Coccinellidae in biological control and, 296–301
hazelnut pests and, 410
Consortium for Integrated Pest Management (CIPM)
overview, 252–53
Continentality
stream environment biodiversity and, 282–83
Control policies
fire and North American forest insects, 107–9, 111–12
Convergent evolution
spider coloration and, 632
Cooperative behavior
burying beetles and, 595
Corcyra cephalonica
insecticide insect hormone mimics and, 553
Core promoter
transcriptional control and, 675–76
Correlations
genetic
spatial heterogeneity and adaptation, 571, 576, 585–86
Corylus spp.
hazelnut pests and, 395–412
Cosmolaelaps cuneifer
mite diseases and, 452
Costelyta zealandica
chemical ecology and, 46, 52
higher-order predators and, 426
Costs
ecology of Arctic environments and, 96
eradication and, 471, 473–75
plasticity in life-history traits and, 65–66, 68–69
spermatophore
indirect sperm transfer and, 167
spider coloration and, 629–31
Côte d'Ivoire
biological control of weeds and, 373
Counter-gradient selection
plasticity in life-history traits and, 65, 75
Courtship
indirect sperm transfer and, 157–65
Crops
Bacillus thuringiensis and, 13
Encarsia formosa and, 653–55
insecticide research and, 1, 10
manipulating natural enemies and, 359
mite diseases and, 449
spatial heterogeneity and adaptation, 586–87
sustainability of transgenic insecticidal cultivars and, 701
Cross resistance
insecticide research and, 8–11
Crowding
plasticity in life-history traits and, 77
Crown fires
fire and North American forest insects, 109
Cryolite
insecticide research and, 2
Cryoprotectants
ecology of Arctic environments and, 86, 98
Crypsis
spider coloration and, 619, 631–33
Cryptosporina spp.
mite diseases and, 458
Ctenocephalides felis
insecticide insect hormone mimics and, 558
cubJ
insecticide research and, 2
Cuculionidae
aphid/*Buchnera* symbiosis and nutrition, 18
Cued regulation
ecology of Arctic environments and, 97
plasticity in life-history traits and, 76–77
Culex pipiens
malaria parasite development in mosquitoes and, 523
Culicicola spp.
mite diseases and, 454
Cultivars
transgenic insecticidal, 701–21
Cultural practices
Encarsia formosa and, 658–59
hazelnut pests and, 395–96, 409
Curculio nucum
hazelnut pests and, 399
Cuticle
insecticide insect hormone mimics and, 546–47, 551–52, 555
transcriptional control and, 684–85
Cyclization
phytophagous scarab beetles and, 39, 52–53
Cyclocephala spp.
chemical ecology and, 46, 48–49
insecticide insect hormone mimics and, 556
Cyclodienes
insecticide research and, 9
Cycloneda sanguinea
higher-order predators and, 433
Cyclosa spp.
higher-order predators and, 438
spider coloration and, 621, 626, 634
Cydia spp.
eradication and, 482
hazelnut pests and, 397, 402, 405–8, 410–12
insecticide insect hormone mimics and, 555, 560
integrated pest management and, 245
Cyhexatin
insecticide research and, 10
Cynipoidea
host-parasitoid interactions in Hymenoptera and, 142, 144
Cyromazine
insecticide research and, 12
Cyrtophora spp.
spider coloration and, 625–26
Cytochrome P450
insecticide research and, 9
Cytoplasmic polyhedrosis viruses
recombinant baculovirus insecticides and, 500
Czechoslovakia
spider coloration and, 630

D

Dactynotus spp.
higher-order predators and, 433
Dacua doesalis
eradication and, 472
Damaeus oblongus
mite diseases and, 457
Daphnia magna
insecticide insect hormone mimics and, 556
Darwinian selection
insecticide research and, 8
Dauer stages
mite diseases and, 453–54

DDT
codling moth and, 245
gypsy moth and, 485
insecticide research and, 2–4, 7, 9–10
Defenses
burying beetles and, 603–4, 606–7
spatial heterogeneity and adaptation, 571, 582–84
Defoliating insects
fire and North American forest insects, 107–8
Degradable compounds
insecticide research and, 1
Dehydration resistance
ecology of Arctic environments and, 100–1
Delaney Clause
insecticide research and, 7
Delphacid planthoppers
aphid/*Buchnera* symbiosis and nutrition, 18
Delphastus pusillus
Coccinellidae in biological control and, 308–9
higher-order predators and, 433
Delta-endotoxin
insecticide research and, 13
Δ9 desaturation
phytophagous scarab beetles and, 53
Deltamethrin
insecticide research and, 2–3, 10
Dendroctonus spp.
fire and North American forest insects, 112–14, 117
integrated pest management and, 251
spatial heterogeneity and adaptation, 573
Dendrolaps spp.
mite diseases and, 461
Density
population
ecology of Arctic environments and, 90
plasticity in life-history traits and, 71–72
sustainability of transgenic insecticidal cultivars and, 711–12, 717, 720–21
Depressaria pastinacella
spatial heterogeneity and adaptation, 585
Dermal toxicity
insecticide research and, 7
Desaturation
fatty acid
phytophagous scarab beetles and, 39, 53
Dessication resistance
ecology of Arctic environments and, 85, 100–101
Deterrence
spatial heterogeneity and adaptation, 582–84
Development
burying beetles and, 605
experimentally stressed woody plants and, 202
insecticide insect hormone mimics and, 545–48, 558–59
malaria parasite mosquitoes and, 519–34
plasticity in life-history traits and, 63–64, 68, 76–77
wasp caste determination and, 328, 336–38
Diaea spp.
spider coloration and, 622, 633
Diafenthiuron
insecticide research and, 10–11
Diapause
burying beetles and, 598
hazelnut pests and, 406
nonfrugiverous tephritid fruit flies and, 230
plasticity in life-history traits and, 76–77
spatial heterogeneity and adaptation, 581–82
Diatraea saccharalis
insecticide insect hormone mimics and, 555
Diazinon
insecticide research and, 2
Diazoketone
insecticide insect hormone mimics and, 559
Dictynidae
spider coloration and, 623, 629
Dieldrin
fire ants and, 483
insecticide research and, 2, 5, 10
Diels-Alder addition reactions
insecticide research and, 5
"Dies twice" concept
sustainability of transgenic insecticidal cultivars and, 711
Diet
aphid/*Buchnera* symbiosis and nutrition, 24–25
plasticity in life-history traits and, 63, 65, 67–69, 71–72, 74, 76–77
Differential gene expression
transcriptional control and, 671–92
Differentiation
malaria parasite development in mosquitoes and, 524
Diflubenzuron
gypsy moth and, 485
insecticide insect hormone mimics and, 561
insecticide research and, 3, 10, 12
Dimorphism
queen/worker reproductive caste determination and, 330
Diofenolan
insecticide insect hormone mimics and, 557
Diphyllostomidae
chemical ecology and, 40
Diplogyniidae
mite diseases and, 457
Diplopoda
indirect sperm transfer and, 159–60
Diptera
aphid/*Buchnera* symbiosis and nutrition, 18
burying beetles and, 601
insecticide insect hormone mimics and, 548, 550, 552, 554–56, 560
plasticity in life-history traits and, 67, 74
spatial heterogeneity and adaptation, 577
transcriptional control and, 682
Direct impacts
recombinant baculovirus insecticides and, 497–00
Direct plant effects
manipulating natural enemies and, 349–51
Direct plasticity
life-history traits and, 77
Direct time/size trade-offs
plasticity in life-history traits and, 65
Dispersal
Encarsia formosa and, 649–50
recombinant baculovirus insecticides and, 506–8, 510
Disruption
Coccinellidae in biological control and, 303
mating
hazelnut pests and, 412
Disruptive coloration
spider coloration and, 632–33

Dissociated transfer
sperm
arthropods and, 162–63
Distribution
seasonal
nonfrugiverous tephritid fruit flies and, 228–29
spatial heterogeneity and adaptation, 572–75, 582–87
species ecology of Arctic environments and, 86, 90–92
Diversity
aphid/*Buchnera* symbiosis and nutrition, 21–22, 33
burying beetles and, 596
ecology of Arctic environments and, 85–90, 101
fire and North American forest insects, 107–8, 118–20
higher-order predators and, 421
indirect sperm transfer in arthropods and, 154–57
mite diseases and, 450
naturally occurring stream environment biodiversity and, 279
plasticity in life-history traits and, 78
species
hazelnut pests and, 397–98
DNA sequences
insecticide insect hormone mimics and, 563
transcriptional control and, 673–80
DNOC
insecticide research and, 10–11
Dolomedidae
spider coloration and, 632
Dolophones conifera
spider coloration and, 631
Downsizing
insecticide research and, 14
Drapetisca socialis
spider coloration and, 633
Drepanosiphidae
aphid/*Buchnera* symbiosis and nutrition, 21
Drop response
spider coloration and, 627
Drosophila spp.
insecticide insect hormone mimics and, 547, 553–55, 561, 563
malaria parasite development in mosquitoes and, 528
plasticity in life-history traits and, 69, 70–71, 73–75
transcriptional control and, 672, 675–91
Drugs
malaria parasite development in mosquitoes and, 521, 534
Dryas spp.
ecology of Arctic environments and, 90–91
DTBHIB
insecticide insect hormone mimics and, 562–63
Dynastinae
chemical ecology and, 39–41, 49

E

Eastern Europe
hazelnut pests and, 408
Ecdysis-triggering hormone
insecticide insect hormone mimics and, 546
Ecdysone
insecticide research and, 11
transcriptional control and, 681–82
Ecdysterones
insecticide insect hormone mimics and, 545, 548–56, 562
Eclosion hormone
insecticide insect hormone mimics and, 546
Ecologically based integrated pest management
overview, 249–50, 259–60
Ecology
Arctic environment and, 85–101
burying beetles and, 595–614
hazelnut pests and, 395–413
insecticide research and, 15
integrated pest management and, 249–50
nonfrugiverous tephritid, 222–30
North American forest systems fire and insects in, 107–20
plasticity in life-history traits and, 63, 77
recombinant baculovirus insecticides and, 493–511
spider coloration and, 619–38
sustainability of transgenic insecticidal cultivars and, 701–21
Economics
biological control of weeds and, 380–81
Encarsia formosa and, 660
eradication and, 472–74
insecticide research and, 14–15
mite diseases and, 449
Ecotoxicology
insecticide insect hormone mimics and, 545
Ectotherms
plasticity in life-history traits and, 70
Ectysteroidal receptor proteins
insecticide insect hormone mimics and, 545–62
Efficiency
malaria parasite development in mosquitoes and, 529
Eggs
nonfrugiverous tephritid fruit flies and, 220–21, 231–33
plasticity in life-history traits and, 75–76
Egg sacs
spider
Mantispidae and, 175–91
ELCAR™
recombinant baculovirus insecticides and, 494
El Salvador
eradication and, 476
Empusa spp.
mite diseases and, 454
Enantiomeric pheromones
phytophagous scarab beetles and, 39, 43, 50–51
Encarsia formosa
biology
adult dispersal, 649–50
adult parasitoid, 649–50
fecundity, 649
foraging behavior, 646–49
host location, 646–47
host use, 647–49
immature parasitoid, 650–51
longevity, 649
thelytoky, 649
commercial use
cultural practices, 658–59
economics, 660
genetic improvement, 660
grower training, 658
integrated pest management, 658
mass rearing, 655–56
methods of use, 656–58
natural enemies, 659
pesticides, 659–60
product control, 655–56
release methods, 656–58
storage, 655–56
introduction, 645–46
population dynamics
cropping system effect on parasitoid efficacy, 653–55

host/parasitoid dynamics, 651–53
sampling, 651
Encarsia spp.
higher-order predators and, 433
Encyrtidae
higher-order predators and, 436
Endeostigmata
mite diseases and, 450
Endocuticle
insecticide insect hormone mimics and, 547
Endosulfan
hazelnut pests and, 408
insecticide research and, 2–3, 5, 10
Endosymbiosis
aphid/*Buchnera* symbiosis and nutrition, 17
Endotherms
ecology of Arctic environments and, 94
England
insecticide research and, 6
integrated pest management and, 246
mite diseases and, 452
plasticity in life-history traits and, 73
Enhancers
transcriptional control and, 677
Enoplognatha ovata
spider coloration and, 623, 628–29, 636
Enterobacteriaceae
aphid/*Buchnera* symbiosis and nutrition, 21
Entomological inoculation rates
malaria parasite development in mosquitoes and, 528
Entomophaga spp.
mite diseases and, 454
Entomophthora spp.
mite diseases and, 454–56
Environment
Arctic
insect ecology and, 85–101
insecticide research and, 1, 8
malaria parasite development in mosquitoes and, 519–20, 531–32
plasticity in life-history traits and, 64, 67–68, 76–78
release into
recombinant baculovirus insecticides and, 495–96, 505
spider coloration and, 624–27
Environmental Protection Agency (EPA)
insecticide research and, 7
sustainability of transgenic insecticidal cultivars and, 702, 709, 717–18
Environmental response elements
transcriptional control and, 679–80
Enzymes
pheromone-degrading phytophagous scarab beetles and, 39, 56–58
Epiblemma scudderiana
ecology of Arctic environments and, 99
Epicuticle
insecticide insect hormone mimics and, 546
Epiphyas postvittana
insecticide insect hormone mimics and, 558
spatial heterogeneity and adaptation, 579
Epirrita autumnata
ecology of Arctic environments and, 99
Epithelial cells
phytophagous scarab beetles and, 39
Epizootics
hazelnut pests and, 412
Equilibrium
stream environment biodiversity and, 275
Eradication
area-wide management vs, 488–89
economics
benefits, 473
cost of potential lawsuits, 475
costs of human error, 475
costs of initial reduction, 475
costs of monitoring populations, 475
costs of public relations, 475
costs of unanticipated impacts on other aspects of society, 474
escalating costs for killing last individuals, 474
lack of scientific data, 473
potentially biased decision evaluation, 474
potentially biased decision process, 473–74
risks to human health, 475
introduction, 472
ongoing eradication programs
boll weevil, 480–82
British Columbia, 482–83
California, 486–88
codling moth, 482–83
established pests, 480–84
fire ants, 483–84
gypsy moth, 485–88
Mediterranean fruit fly, 486–88
North America, 485–88
recently introduced insects, 484–87
successful eradication programs
cattle tick, 478–79
citrus canker, 477–78
Nigeria, 479
Okinawa Islands, 479
oriental fruit fly, 479–80
screwworm, 476–77
tsetse fly, 479
Eresidae
spider coloration and, 623
Ernobius spp.
fire and North American forest insects, 115
Erynia spp.
mite diseases and, 454
Escalating costs
eradication and, 474
Escherichia coli
aphid/*Buchnera* symbiosis and nutrition, 20–21, 32
Esfenvalerate
hazelnut pests and, 408
insecticide research and, 2
Established pests
eradication and, 480–84
Euchistus servus
eradication and, 482
Eucoilidae
higher-order predators and, 436
Eukaryotes
transcriptional control and, 672–74
Eulophidae
higher-order predators and, 436
Euproctis chrysorrhoea
eradication and, 484
Euprymna scolopes
aphid/*Buchnera* symbiosis and nutrition, 24
Europe
burying beetles and, 597–99, 602, 606
hazelnut pests and, 395–413
integrated pest management and, 244–45
malaria parasite development in mosquitoes and, 520
stream environment biodiversity and, 280
Euryparasitus terribili
mite diseases and, 452

Eurytoma gigantea
higher-order predators and, 432
Eusocial wasps
reproductive caste determination and, 323–41
Evanioidea
host-parasitoid interactions in Hymenoptera and, 143, 146
Evolution
burying beetles and, 612–13
ecology of Arctic environments and, 88, 90
host-parasitoid interactions in Hymenoptera and, 129–47
indirect sperm transfer in arthropods and, 153–69
phytophagous scarab beetles and, 49
plasticity in life-history traits and, 77–78
reproductive caste determination and, 339–41
spatial heterogeneity and adaptation, 587
spider coloration and, 619–38
sustainability of transgenic insecticidal cultivars and, 704
transcriptional control and, 691–92
Exomala orientalis
chemical ecology and, 45, 49, 55
Exploitation
facultative niche
nonfrugiverous tephritid fruit flies and, 225–26
recombinant baculovirus insecticides and, 502
Exposure identification
recombinant baculovirus insecticides and, 493, 504–9
Extension integrated pest management program
overview, 254–55
External sperm competition
in arthropods
indirect sperm transfer and, 163–65
Extinction
ecology of Arctic environments and, 88, 94

F

Facultative adjustments
of duration of paternal care
ecology and behavior of burying beetles, 607–8
Facultative niche exploitation
nonfrugiverous tephritid fruit flies and, 225–26
Fagus grandifolia
fire and North American forest insects, 110
Farnesoid X-activated receptor
insecticide insect hormone mimics and, 560
Fat body
wasp caste determination and, 328
Fatty acids
phytophagous scarab beetles and, 39, 48, 52–54
Fecundity
ecology of Arctic environments and, 95
Encarsia formosa and, 649
plasticity in life-history traits and, 64–67, 71–73
Federal Plant Pest Act of 1957
United States
biological control of weeds and, 372
Feeding
burying beetles and, 602–3
experimentally stressed woody plants and, 199–202
nonfrugiverous tephritid fruit flies and, 219
specialization
experimentally stressed woody plants and, 202–3
"Feeding spots"
mite diseases and, 463
Female choice
indirect sperm transfer and, 168
Fenazaquin
insecticide research and, 10–11
Fenoxycarb
hazelnut pests and, 412
insecticide insect hormone mimics and, 545, 557–61
insecticide research and, 10–11
Ferrimamicide
fire ants and, 484
Fertilization
indirect sperm transfer and, 155–57
malaria parasite development in mosquitoes and, 519, 524–25
Filberts
hazelnut pests and, 395, 399, 403–4, 406, 409, 412
Final weight
plasticity in life-history traits and, 72
Finland
burying beetles and, 598–99
ecology of Arctic environments and, 88
Fipronil
insecticide research and, 10
Fire ants
imported
eradication and, 471–72, 483–84
insecticide insect hormone mimics and, 558
Fire ecology
North American forests and
Alaskan taiga and coastal forest, 110
boreal forests, 109–11
Canadian boreal forest, 110
fire behavior and intensity, 109
inland West, 110
insect diversity, 118–20
insect pest control, 111–12
introduction, 108–11
Lake States, 110
northeastern forests, 110–11
northern forests, 109–11
northern Rocky Mountains, 110
overview, 108–11
Pacific Northwest, 110
succession, 112–15
suppression and dynamics of insect outbreaks, 115–17
Fitness
burying beetles and, 595
plasticity in life-history traits and, 63, 65–69, 72
spatial heterogeneity and adaptation, 572, 584
sustainability of transgenic insecticidal cultivars and, 708–9
Flavobacteria
aphid/*Buchnera* symbiosis and nutrition, 18
Flight behavior
hazelnut pests and, 406–7
Flightlessness
ecology of Arctic environments and, 90, 95–96, 101
Floculent secretion
phytophagous scarab beetles and, 41
Florida
eradication and, 477–78, 481
mite diseases and, 461
phytophagous scarab beetles and, 46
Flow
stream environment biodiversity and, 281

Flowers
ecology of Arctic environments and, 92
Flower "syndromes"
recombinant baculovirus insecticides and, 502
Fluctuation
plasticity in life-history traits and, 76
Flucythrinate
spatial heterogeneity and adaptation, 581
Folsomia candida
higher-order predators and, 428
Food and Agriculture Organization (FAO)
biological control of weeds and, 372
integrated pest management and, 246–48, 256–57
Food-induced coloration
spider coloration and, 624
Food resources
stream environment biodiversity and, 279
Food supplements
Coccinellidae in biological control and, 301
Food-type lures
phytophagous scarab beetles and, 43
Foraging behavior
Encarsia formosa and, 646–49
Forest ecosystems
hazelnut pests and, 398–99
North American
fire and insects in, 107–20
Formicidae
aphid/*Buchnera* symbiosis and nutrition, 18
Fossilization
mite diseases and, 450–51
Fraxinus spp.
fire and North American forest insects, 111
Freeze avoidance/tolerance
ecology of Arctic environments and, 98–99
Frequency
gene
sustainability of transgenic insecticidal cultivars and, 706–7
Freshwater arthropods
indirect sperm transfer and, 154–55
Fungi
hazelnut pests and, 410
higher-order predators and, 421, 424–25, 428–29
insecticide research and, 15
mite diseases and, 449, 451, 454–57
Fusarium spp.
mite diseases and, 457

G

Galleria mellonella
higher-order predators and, 427
transcriptional control and, 687
Gametocyte
malaria parasite development in mosquitoes and, 519, 521, 523–25, 528–32
Gamma-aminobutyric acid (GABA)
insecticide research and, 9–10, 12
Gammarus mimus
spider coloration and, 631
Gas chromotography with electroantennographic detector (GC-EAD) analysis
phytophagous scarab beetles and, 41, 44, 48–50
Gender differences
plasticity in life-history traits and, 73–74
Generalist species
plasticity in life-history traits and, 72
Generation time
plasticity in life-history traits and, 64
Genetic engineering
insecticide research and, 1, 12–13
malaria parasite development in mosquitoes and, 521
recombinant baculovirus insecticides and, 493, 496, 508–9
Genetic polymorphism
plasticity in life-history traits and, 76
Genetics
aphid/*Buchnera* symbiosis and nutrition, 26, 29
Encarsia formosa and, 660
insecticide research and, 9, 12
plasticity in life-history traits and, 63–64, 68, 75, 77
spatial heterogeneity and adaptation, 571, 573, 576, 580–82, 585–86
spider coloration and, 619, 627–29, 638
sustainability of transgenic insecticidal cultivars and, 701–21
transcriptional control and, 680–82
Geometridae
recombinant baculovirus insecticides and, 507
Georgia
former Soviet Union
hazelnut pests and, 398
United States
Coccinellidae in biological control and, 306
eradication and, 481
Geotrupidae
chemical ecology and, 40
Germany
burying beetles and, 597–99
mite diseases and, 452
Ghana
biological control of weeds and, 373
Global climate change
ecology of Arctic environments and, 85
Glomeris pulchra
spider coloration and, 634
Glossinidae
aphid/*Buchnera* symbiosis and nutrition, 18
eradication and, 479–80
Glutamate receptor
insecticide research and, 11
Glutathione-*S*-transferases
insecticide research and, 9
Gnaphosidae
spider coloration and, 628
Gonocerus acuteangulatus
hazelnut pests and, 401
G-proteins
phytophagous scarab beetles and, 57
Granuloviruses
recombinant baculovirus insecticides and, 494
Graphognatus spp.
eradication and, 472
Greenland
ecology of Arctic environments and, 86, 93, 95, 97–98
Gregarina spp.
mite diseases and, 458
GroEL protein
aphid/*Buchnera* symbiosis and nutrition, 32
Ground fires
fire and North American forest insects, 109
Grower training
Encarsia formosa and, 658
Growth rate
experimentally stressed woody plants and, 204

hazelnut pests and, 395, 411
insecticide research and, 3, 10–12
plasticity in life-history traits and, 63, 65–66, 68–69, 76–77
Guanine
spider coloration and, 619–21
Guatemala
eradication and, 476
Guilds
nonfrugiverous tephritid fruit flies and, 223–24
plant-defense
spatial heterogeneity and adaptation, 584
Gurleya spp.
mite diseases and, 458
Gynaephora spp.
ecology of Arctic environments and, 91–92, 97, 99
Gypsonema dealbana
hazelnut pests and, 400, 406
Gypsy moth
eradication and, 471, 474, 476, 484–88

H

Habitats
burying beetles and, 599–600
stream environment biodiversity and, 278–79
Haemogamosus hirsutus
mite diseases and, 452
Haemotobia irritans
spatial heterogeneity and adaptation, 579
Hairiness
ecology of Arctic environments and, 92, 94
Halofenozide
insecticide insect hormone mimics and, 545, 549, 555–56
Halotydeus destructor
mite diseases and, 454
Happy-face spider
spider coloration and, 624, 627–29, 632, 635
Hardiness
cold
ecology of Arctic environments and, 85–86, 98–99, 101
Harpalus laticeps
fire and North American forest insects, 119
Harvesting
Coccinellidae in biological control and, 298, 300
Hawaii
biological control of weeds and, 372
Coccinellidae in biological control and, 306
spider coloration and, 624, 626–28, 632, 635
Hazelnut pests
ecology and management of
abiotic factors, 405–6
Asia, 399–402
augmentation, 410
biological control, 410–11
chemical control, 407–8
classical biological control, 411
commercial orchards, 398–99
community ecology, 407
conservation, 410
control tactics, 407–12
cultural control, 409
diapause, 406
ecology, 405–7
Europe, 399–402
flight behavior, 406–7
forests, 398–99
hazelnut culture, 395–96
host-plant resistance, 409–10
inoculative biological control, 410–11
insect growth regulators, 411–12
integrated pest management, 412–13
introduction, 395–97
mating behavior, 406–7
mating disruption, 412
microbial growth regulators, 411–12
North America, 402–5
oviposition behavior, 406–7
pest complex, 399–405
seasonality, 406
species diversity, 397–98
system stability, 398–99
Head capsule
insecticide insect hormone mimics and, 551
Health concerns
insecticide research and, 1, 7–8
Heat conservation
ecology of Arctic environments and, 94
Helicoverpa spp.
insecticide insect hormone mimics and, 555
recombinant baculovirus insecticides and, 494, 498–99
sustainability of transgenic insecticidal cultivars and, 715–16, 718
Heliothis spp.
insecticide insect hormone mimics and, 558
recombinant baculovirus insecticides and, 498–99, 502
spatial heterogeneity and adaptation, 579
sustainability of transgenic insecticidal cultivars and, 706–7, 715–16, 718
Heliotropic flowers
ecology of Arctic environments and, 92
Hemiptera
insecticide insect hormone mimics and, 561
Hemolymph
ecology of Arctic environments and, 98
insecticide insect hormone mimics and, 551
Hepatozoan muris
mite diseases and, 459
Hepialidae
higher-order predators and, 428–29
recombinant baculovirus insecticides and, 506
Heptachlor
fire ants and, 483
Heptophylla picia
chemical ecology and, 48
Herbivores
higher-order predators and regulation of, 421–40
spatial heterogeneity and adaptation, 571–87
Heritability
consistent
plasticity in life-history traits and, 78
Hersiliidae
spider coloration and, 631, 633
Heterogeneity
resource
ecology of Arctic environments and, 85, 88, 90
nonfrugiverous tephritid fruit flies and, 223
spatial, 571–87
Heteropodidae
spider coloration and, 621, 624
Heteroptera
aphid/*Buchnera* symbiosis and nutrition, 18
insecticide insect hormone mimics and, 561

plasticity in life-history traits and, 75–76
Heterorhabditis spp.
higher-order predators and, 427–28
Hexachlorocyclohexane
insecticide research and, 4
Hexachlorocyclopentadiene
insecticide research and, 5
Hexapoda
indirect sperm transfer and, 157–59
"High dose"/refuge strategy
sustainability of transgenic insecticidal cultivars and, 701, 707–8, 712–16
Higher-order predators
entomopathogens, 423
bacteria, 425–27
fungi, 424–25
nematodes, 427–29
protozoa, 425
introduction, 421–23
parasitoids
hyperparasitism, 429–31
predation on adult parasitoids, 433–34, 436–37
predation on immature stages, 431–33
High-level plasticity
life-history traits and, 76
High narrow heritability estimates
spider coloration and, 628
Hippodamia convergens
Coccinellidae in biological control and, 309
higher-order predators and, 433
Hirsutella spp.
mite diseases and, 455–56
Holocnemus pluchei
spider coloration and, 622, 626
Holometabolous insects
insecticide insect hormone mimics and, 547, 552–53, 557
Holotrichia spp.
chemical ecology and, 46–47, 49, 51–52, 55, 57
Homeobox genes
transcriptional control and, 678–79
Homeostasis
developmental plasticity in life-history traits and, 64
Homoptera
aphid/*Buchnera* symbiosis and nutrition, 18, 32
higher-order predators and, 423
insecticide insect hormone mimics and, 556
Honduras
eradication and, 476
Hormone response elements
transcriptional control and, 680
Hormones
insecticide insect hormone mimics and, 545–62
plasticity in life-history traits and, 76–77
transcriptional control and, 680–82
Host associations
nonfrugiverous tephritid fruit flies and, 227–28
Host kill
speed of
recombinant baculovirus insecticides and, 503–4
Host-parasitoid interactions
Hymenoptera and, 129–47
Host-plant choice
experimentally stressed woody plants and, 203–5
plasticity in life-history traits and, 63, 71–72
Host-plant resistance
hazelnut pests and, 409–10
sustainability of transgenic insecticidal cultivars and, 701–2, 705–12
Host-specificity testing
biological control of weeds and, 376–77
Host use
Encarsia formosa and, 647–49
Howardula spp.
mite diseases and, 452
HSS model
higher-order predators and, 422–23
Huffaker Project
integrated pest management and, 252
Human error
costs of
eradication and, 475
Human health
mites and, 449
risks to
eradication and, 475
Hungary
phytophagous scarab beetles and, 46
Hyalophora cecropia
transcriptional control and, 677, 684–85
Hydraulics
stream environment biodiversity and, 281
Hydroprene
insecticide insect hormone mimics and, 557, 560
20-Hydroxyecdysone (20E)
insecticide insect hormone mimics and, 545, 547, 549–50, 552–55, 562
transcriptional control and, 681
Hydroxylation
phytophagous scarab beetles and, 39, 52–54
Hymenoptera
ecology of Arctic environments and, 91
fire and North American forest insects, 115
mite diseases and, 452
parasitism evolution in
Aculeata, 141, 144
ants, 134–36
Apocrita, 134–39
bees, 134–36
Ceraphronoidea, 146
Chalcidoidea, 145
Cynipoidea, 144
Evanioidea, 146
horntails, 134
Ichneumonoidea, 140–41
Megalyroidea, 146
origin of Hymenoptera, 130–31
origin of parasitism, 139–40
Orussoidea, 140
overview, 129–30
parasitic wasps, 134–36
phylogeny, 131–39
Platygastroidea, 145
Proctotrupoidea, 144–45
Stephanoidea, 140
"Symphyta," 134
Trigonalyoidea, 145
true wasps, 134–36
woodwasps, 134
recombinant baculovirus insecticides and, 502
reproductive caste determination and, 323–41
Hyperecdysonism
insecticide insect hormone mimics and, 550
Hyperodes spp.
insecticide insect hormone mimics and, 556
Hyperparasitoids
higher-order predators and, 421–23, 429–31
Hyphantrea cunea
hazelnut pests and, 406

Hypoaspis spp.
mite diseases and, 452
Hypogastrura tulbergi
ecology of Arctic environments and, 97
Hyposoter pectinatus
ecology of Arctic environments and, 97

I

Iceland
ecology of Arctic environments and, 86, 95
Ice-nucleating agents
ecology of Arctic environments and, 98
Ichneumonoidea
host-parasitoid interactions in Hymenoptera and, 140–42
Idiosoma
mite diseases and, 450–51
Imaginal determination
wasp caste determination and, 334–35
Imidacloprid
insecticide research and, 10
"Imitation spiders"
spider coloration and, 626
Immature stages
nonfrugiverous tephritid fruit flies and, 219–22, 230–34
parasitoids and, 431–33
Immune response
transcriptional control and, 685–86
Immunological aproaches
transmission-blocking malaria parasite development in mosquitoes and, 521–23, 531
Impact evaluation
recombinant baculovirus insecticides and, 496–97, 509–10
Impact identification
recombinant baculovirus insecticides and, 493, 498–504
Importation
Coccinellidae in biological control and, 301–6
India
biological control of weeds and, 373
Coccinellidae in biological control and, 305
eradication and, 477
integrated pest management and, 257
Indirect impacts
on nontarget species
recombinant baculovirus insecticides and, 500–3
Indirect sperm transfer
in arthropods
Acari, 161–62
Arachnida, 160–62
behavior, 157–69
chelicerates, 155
Chilopoda, 159
Collembola, 157–58
costs, 167
courtship in taxa with paired-indirect transfer, 157–65
definitions, 154
devices to increase rate of contact between females and spermatophores, 166–67
Diplopoda, 159–60
diversity of sperm-transfer modes, 154–57
evolution, 155–57, 167–69
external sperm competition, 163–65
female choice, 168
fertilization modes, 155–57
freshwater arthropods, 154–55
Hexapoda, 157–59
marine arthropods, 154–55
Microcoryphia, 158–59
morphology, 165–66
Myriapoda, 159–60
non-chelicerate arthropods, 154–55
overview, 153–54
Pedipalpi, 160–61
perspectives, 153–54
phylogeny, 167–68
Pseudoscorpiones, 161
rate of speciation, 169
Scorpiones, 160
spermatophores, 155–56, 165–69
terrestrial arthropods, 154–55
territories and sphermatophore "leks" in taxa with dissociated transfer, 162–63
Thysanura, 158–59
trade-offs, 169
transfer modes, 155–57
Indonesia
biological control of weeds and, 372–73
integrated pest management and, 257
Induction
plasticity in life-history traits and, 78
Industry
sustainability of transgenic insecticidal cultivars and, 701, 707, 717–19
Initial reduction
costs of eradication and, 475
Initiator region
transcriptional control and, 676
Inland West
fire and North American forest insects, 110
Inoculative biological control
hazelnut pests and, 410–11
Inorganic agents
insecticide research and, 2
Insect growth regulators
hazelnut pests and, 395, 411–12
insecticide research and, 3, 10–12
Insecticide insect hormone mimics
bisacylhydrazine ecdysteroid agonists, 548
cellular effects, 552–55
field efficacy, 555–56
larvicidal effects, 549–52
mode of action, 549–55
non-target invertebrate safety, 556, 560–61
tissue effects, 552–55
vertebrate safety, 556, 560–61
20E molecular basis of action, 547
endocrine regulation of insect growth and development, 546–56
future research, 562–63
introduction, 545–46
juvenile hormone, 548
non-terpenoidal juvenile hormone analogs
biochemical effects, 559–60
cellular effects, 559–60
developmental effects, 558–59
efficacy, 560
mode of action, 559–60
reproductive effects, 558–59
whole organism effects, 557
resistance potential, 561–62
Insecticide research
Bacillus thurengiensis in crops, 13
baculovirus, 13
recombinant, 493–511

chemical-biological interactions, 14–15
chlorination, 4–5
DDT, 4
environmental impact, 8
genetic engineering, 12–13
hazelnut pests and, 395, 407–8
health concerns, 7–8
insect growth regulators, 11–12
introduction, 1
methylcarbamate, 5–6
neurotoxicants, 9–11
new modes of action, 12
pheromones, 11–12
phosphorylation, 5–6
pre-DDT, 2–4
public attitudes, 7
pyrethroids, 6
research through the ages, 13–14
resistance, 8–9
respiratory inhibitors, 11
retrenchment of pesticide industry, 14
Insect juvenile hormones
insecticide research and, 10–11
INSEGAR®
insecticide insect hormone mimics and, 557–58
Insemination
wasp caste determination and, 327–28
Insensitive target
insecticide research and, 9
Integrated pest management (IPM)
areawide IPM systems, 254
biologically intensive, 259
Consortium for Integrated Pest Management, 252–53
definitions, 248–49
ecologically based, 249–50, 259–60
Encarsia formosa, 658–60
extension IPM program, 254–55
Food and Agriculture Organization, 256–57
future research, 263–64
hazelnut pests and, 395, 412–13
Huffaker Project, 252
implementation, 255–56
at three levels of integration, 261–63
International Agricultural Research Centers, 257–58
introduction, 243–44
levels of IPM integration and agroecosystem sustainability, 260–61
national IPM initiative, 253–54
national IPM programs, 258
origins
integrated control, 244–46
integrated control vs pest management, 246–47
pest management, 246
overview, 247–48
research, 255–56
sustainable agriculture, 260
teaching, 255
United States, 250–52
USDA regional IPM program, 253
International Agricultural Research Centers (IARCs)
integrated pest management and, 257–58
International Code for the Import and Release of Exotic Biological Control Agents
biological control of weeds and, 372
Intraspecific variation
in plants
manipulating natural enemies and, 353–54
Intrinsic rate of success
plasticity in life-history traits and, 64
Invertebrates
non-target
bisacylhydrazine safety and, 556, 560–61
Iodovinylmethoprenol (IVMA)
insecticide insect hormone mimics and, 559
Iowa
Coccinellidae in biological control and, 303
Ipis spp.
fire and North American forest insects, 112
insecticide insect hormone mimics and, 558
Islands
northern
ecology of Arctic environments and, 86
Isobutylamides
insecticide research and, 11
Isomerism
chemical ecology and, 50
phytophagous scarab beetles and, 50, 57
Israel
mite diseases and, 460
phytophagous scarab beetles and, 48
Italy
hazelnut pests and, 396, 400–1, 406
insecticide research and, 4
Intraguild predation
higher-order predators and, 421

J

Japan
insecticide research and, 6
phytophagous scarab beetles and, 40, 45, 54
Japanese beetle
chemical ecology and, 41–44, 50, 54, 56–57
phytophagous scarab beetles and, 40
Japonilure
phytophagous scarab beetles and, 39, 41, 43–44, 50, 52, 56
Josa spp.
spider coloration and, 622
Juniperus spp.
fire and North American forest insects, 110–11
Juvenile hormone
insecticide insect hormone mimics and, 545–63
transcriptional control and, 682
Juvenile hormone esterase
recombinant baculovirus insecticides and, 502
Juvenile mortality
plasticity in life-history traits and, 68

K

Kairomones
phytophagous scarab beetles and, 41, 54–55
spatial heterogeneity and adaptation, 584
Karyolysus lactertae
mite diseases and, 459
kdr factor
insecticide research and, 9
Kenya
biological control of weeds and, 373
malaria parasite development in mosquitoes and, 531–32
Keystone effects
recombinant baculovirus insecticides and, 501–2
Kheper lamarcki
chemical ecology and, 41

KNACK®
  insecticide insect hormone mimics and, 557
Knockdown resistance
  insecticide research and, 9

L

Laboulbeniales
  mite diseases and, 454, 456–57
Lacanobia oleracea
  insecticide insect hormone mimics and, 550
Lachnidae
  aphid/*Buchnera* symbiosis and nutrition, 21
Lactones
  phytophagous scarab beetles and, 39, 41, 43–45, 50, 52, 57–58
Laelaps echidinus
  mite diseases and, 459
Lake States
  fire and North American forest insects, 109–10
Lambdacyhalothrin
  insecticide research and, 2
Lamellicornia
  chemical ecology and, 39–58
Landscape design
  Coccinellidae in biological control and, 300–1
Laparosticti
  chemical ecology and, 40
Larix spp.
  fire and North American forest insects, 110
Larvae
  burying beetles and, 605
  insecticide insect hormone mimics and, 545, 549–52, 557–58
  Mantispidae and, 179–85
  nonfrugiverous tephritid fruit flies and, 221–22, 233–34
  sustainability of transgenic insecticidal cultivars and, 710, 718
  wasp caste determination and, 336–38
Lasiommata spp.
  plasticity in life-history traits and, 70
Latin America
  burying beetles and, 597
  eradication and, 477
  integrated pest management and, 258
Latitude
  ecology of Arctic environments and, 85–86, 88–90, 93–96, 101
  spatial heterogeneity and adaptation, 573
  stream environment biodiversity and, 282–83
Latrodectus spp.
  spider coloration and, 634
Lawsuits
  potential
    eradication and, 475
Layers of regulation
  transcriptional control and, 673
Leaf longevity
  experimentally stressed woody plants and, 205
Lectins
  malaria parasite development in mosquitoes and, 526
Legislation
  biological control of weeds and, 371–72
Leks
  spermatophore
    indirect sperm transfer and, 162–63
Lelolonthines
  phytophagous scarab beetles and, 52
Lepidoptera
  ecology of Arctic environments and, 88–89, 91–92, 94, 97
  fire and North American forest insects, 108
  insecticide insect hormone mimics and, 545, 548–52, 554–55, 560
  insecticide research and, 11, 13
  plasticity in life-history traits and, 66–67, 69–76
  recombinant baculovirus insecticides and, 495–96, 498, 505–7
  sex pheromones and, 52, 56
  spatial heterogeneity and adaptation, 577
  spider coloration and, 619
  sustainability of transgenic insecticidal cultivars and, 701
  transcriptional control and, 679
Leptinotarsa decemlineata
  insecticide insect hormone mimics and, 550, 552, 554–55
  spatial heterogeneity and adaptation, 579
  sustainability of transgenic insecticidal cultivars and, 715–18
  transcriptional control and, 687
Leptopilina spp.
  higher-order predators and, 436
Leucage spp.
  spider coloration and, 621, 635
Leucophaea maderae
  insecticide insect hormone mimics and, 548
leu genes
  aphid/*Buchnera* symbiosis and nutrition, 26, 29
Libya
  eradication and, 476–77
Lichens
  ecology of Arctic environments and, 87
Life cycle
  ecology of Arctic environments and, 85, 95–98
  malaria parasite development in mosquitoes and, 523–24
  plasticity in life-history traits and, 72–77
Life-history trait plasticity
  adaptive growth rate variation, 65–66
  direct time/size trade-offs, 65
  fitness
    adult size, 66–67
    density, 71–72
    development time, 68
    diet, 71–72
    growth rate, 68–69
    hosts, 71–72
    photoperiod, 69–70
    temperature, 70–71
  introduction, 63–64
  life-cycle synthesis
    egg size, 75–76
    future research, 77–78
    gender differences, 73–74
    high-level plasticity, 76
    low-level plasticity, 76–77
    maternal effects, 75–76
    season length, 72–73
    size, 72–74
    time, 72–74
    trade-offs, 74–75
    two-level plasticity, 76
  life-history theory, 64
  plasticity theory, 64–65
  reaction forms, 69–72
Light
  stream environment biodiversity and, 279
Limonene
  spatial heterogeneity and adaptation, 583
Limonoids
  insecticide research and, 12

Lindane
insecticide research and, 2, 4, 9–10
Linyphiidae
spider coloration and, 624–26, 633, 636
Lipids
aphid/*Buchnera* symbiosis and nutrition, 17, 27–28
Liponyssoides sanguineus
mite diseases and, 459
Litomosoides carinii
mite diseases and, 454
Livestock
mite diseases and, 449
Lobesia botrana
insecticide insect hormone mimics and, 555
Lobogynium spp.
mite diseases and, 457
Local scale
stream environment biodiversity and, 271–86
Locusta spp.
insecticide insect hormone mimics and, 548, 559–60
transcriptional control and, 687–88
LOGIC®
insecticide insect hormone mimics and, 557, 560
Longevity
Encarsia formosa and, 649
nonfrugiverous tephritid fruit flies and, 234–35
Louisiana
Coccinellidae in biological control and, 306
eradication and, 480, 488
Low-level plasticity
life-history traits and, 76–77
Lucanidae
chemical ecology and, 40
Luteoviruses
aphid/*Buchnera* symbiosis and nutrition, 32
Lycosa spp.
spider coloration and, 622
Lycosidae
spider coloration and, 622, 632–33, 636
Lyctidae
aphid/*Buchnera* symbiosis and nutrition, 18
Lygaeidae
aphid/*Buchnera* symbiosis and nutrition, 18
Lygaeus equestris
plasticity in life-history traits and, 71
Lymantria dispar
eradication and, 472, 484
hazelnut pests and, 398
insecticide insect hormone mimics and, 555
integrated pest management and, 251
recombinant baculovirus insecticides and, 507
Lysiphlebus spp.
higher-order predators and, 430–31, 433, 437
Lysosomes
insecticide insect hormone mimics and, 553

M

Macrocheles spp.
mite diseases and, 453
Macrogametogenesis
malaria parasite development in mosquitoes and, 525
Macrosiphum euphorbiae
aphid/*Buchnera* symbiosis and nutrition, 28
Maine
Coccinellidae in biological control and, 308
fire and North American forest insects, 110
Malacosoma disstria
insecticide insect hormone mimics and, 553
Maladera matrida
chemical ecology and, 48
Malaria parasites
mosquitoes and
acquisition of malaria infections by mosquitoes, 530–31
blood-feeding behavior by mosquitoes, 531, 533
efficiency of malaria parasite development in naturally infected mosquitoes, 529–30
environmental determinants of malaria parasite development, 531–32
genetic approaches to reduce transmission, 521
natural variation in sporozoite loads and infectivity, 532–33
oocyst development, 525–26
overview, 519
parasite life cycle and developmental bottlenecks for sporogonic development, 523–24, 529
perspectives, 519–20, 534
pre-oocyst stages of development, 524–25
sporogony, 528
sporozoites, 526–533
transmission-blocking immunological approaches, 522–23
vaccines, 522–23
vector control challenges, 520–23
Malathion
hazelnut pests and, 408
insecticide research and, 2
Mediterranean fruit fly and, 487
Malaysia
biological control of weeds and, 373
Coccinellidae in biological control and, 305
Mallophaga
aphid/*Buchnera* symbiosis and nutrition, 18
Mamestra cinfigurata
ecology of Arctic environments and, 91
Mammestria brassicae
recombinant baculovirus insecticides and, 507–8
Managed systems
spatial heterogeneity and adaptation, 574–75, 587
Management policies
fire and North American forest insects, 107–9, 111–12
Manduca sexta
insecticide insect hormone mimics and, 548, 550, 553
transcriptional control and, 681, 684, 686–87
Manipulating natural enemies
choosing natural enemies to manipulate, 358–59
community structure effects, 352–53
crop management, 359
intraspecific variation
in natural enemies, 354
in plants, 353–54
multiple effects of plants, 352
overview, 347–48
perspectives, 347–48
pest adaptations, 356–58
plant breeding, 360
plant characteristics that affect natural enemies, 348
direct plant effects, 349–51
multitrophic effects, 351–52
nutritional effects, 351–52
plant morphology, 349–50

plant semiochemicals, 350–51
plant resistance, 355–58
unrewarding experiences, 354–55
Manitoba
fire and North American forest insects, 119
Mantispidae
adult behavior
mating, 189–90
oviposition, 190–91
early work, 177–78
extent of family, 176–77
kinds of spiders attacked
egg-sac penetrators, 186–87
spider boarders, 187–89
larval behavior toward and aboard spiders
boarding mechanisms, 179–80
entry into book lungs, 182–83
entry into egg sac, 183–85
feeding on spider blood, 181–82
miscellaneous interactions, 184
multiple boarding, 181
positions adopted on spiders, 180–81
transfer from one spider to another, 183
overview, 175–76
overwintering, 185–86
perspectives, 175–76
seasonal phenology, 185–86
spider egg location strategies, 178–79
Mantis religiosa
higher-order predators and, 438
Margason-O
hazelnut pests and, 412
Marine arthropods
indirect sperm transfer and, 154–55
Mass
plasticity in life-history traits and, 63
Mass rearing
Encarsia formosa and, 655–56
Mate-finding tactics
male
ecology and behavior of burying beetles, 608–9
Maternal effects
plasticity in life-history traits and, 75–76
Maternal inheritance
aphid/*Buchnera* symbiosis and nutrition, 21
Mating behavior
hazelnut pests and, 406–7
Mantispidae and, 189–90
Mating disruption
hazelnut pests and, 412
Matrigel
malaria parasite development in mosquitoes and, 525, 528
Maui
spider coloration and, 627, 635
Mayetiola destructor
sustainability of transgenic insecticidal cultivars and, 703–4
Median lethal dose (LD_{50})
recombinant baculovirus insecticides and, 497, 499
Mediterranean fruit fly
eradication and, 471, 475–76, 486–88
Megalyroidea
host-parasitoid interactions in Hymenoptera and, 143, 146
Megoura viciae
aphid/*Buchnera* symbiosis and nutrition, 20
Melanism
ecology of Arctic environments and, 92–93, 101
spider coloration and, 619, 633
Melanophila spp.
fire and North American forest insects, 114, 118
Melanoplus sanguinipes
higher-order predators and, 434
Melolonthines
phytophagous scarab beetles and, 39–41, 46–49, 51
Mesidiopsis spp.
hazelnut pests and, 410
Mesocosm studies
insecticide research and, 8
Meta-analysis
plant stress and insect performance, 195–211
Metabolism
aphid/*Buchnera* symbiosis and nutrition, 25, 30–31, 33
ecology of Arctic environments and, 99–100
Meta menardi
spider coloration and, 630
Metapopulation
ecology of Arctic environments and, 88
Metarhizium anisopliae
higher-order predators and, 424
Metaseiulus occidentalis
higher-order predators and, 438
mite diseases and, 459, 462–66
Metazoa
mite diseases and, 451–52
Metepeira grinnelli
higher-order predators and, 438
Methoprene
insecticide insect hormone mimics and, 545, 557–61
insecticide research and, 10–11
transcriptional control and, 682, 687
Methoxyfenozide
insecticide insect hormone mimics and, 549
Methylcarbamates
insecticide research and, 1–6, 9
Mexico
burying beetles and, 597
Coccinellidae in biological control and, 300
eradication and, 476, 479–80
integrated pest management and, 251, 257–58
Michigan
burying beetles and, 597–600, 606, 609, 613
eradication and, 485–86
fire and North American forest insects, 110, 119
plasticity in life-history traits and, 75
Microbial growth regulators
hazelnut pests and, 411–12
Microcoryphia
indirect sperm transfer and, 158–59
Microhabitat selection
ecology of Arctic environments and, 91–92
Micrommata virescens
spider coloration and, 621
Microplitis croceipes
recombinant baculovirus insecticides and, 502–3
Microsporidia
mite diseases and, 457–58
Middle East
malaria parasite development in mosquitoes and, 520
Midgut
malaria parasite development in mosquitoes and, 519, 521–24, 526, 529
Migration
ecology of Arctic environments and, 91, 94
plasticity in life-history traits and, 76
MIMIC®
insecticide insect hormone mimics and, 548

Mimicry
insecticide insect hormones and, 545–62
spider coloration and, 619, 633–34
Minnesota
fire and North American forest insects, 110–11, 116, 119–20
Mirex
fire ants and, 484
Miridae
higher-order predators and, 438
Mississippi
eradication and, 480
Misumena vatia
spider coloration and, 625
Mites
ecology of Arctic environments and, 100–1
indirect sperm transfer and, 161–62
insecticide research and, 12
parasites and pathogens of
bacteria associated with mite diseases, 460–61
fungal parasites of mites, 454–57
identification of parasites, 450–51
importance of mite diseases, 466
nematode parasites of mites, 452–54
origin of mites, 450
overview, 449–50
paleopathology, 450
perspectives, 449–50
protozoan parasites of mites, 457–59
Rickettsiae associated with mites, 459–60
viruses, 461–65
Modification
plant variety
manipulating natural enemies and, 347–61
Molecular biology
aphid/*Buchnera* symbiosis and nutrition, 23, 26, 33
insecticide insect hormone mimics and, 547–48
insecticide research and, 15
phytophagous scarab beetles and, 56–58
Molting
insecticide insect hormone mimics and, 546–47, 550–52, 555, 562
transcriptional control and, 681, 684
Monitoring populations
costs of
eradication and, 475
Monochamus spp.
fire and North American forest insects, 112, 114
Montana
fire and North American forest insects, 116
Mordellistena unicolor
higher-order predators and, 432
Morphology
ecology of Arctic environments and, 85, 93–98
indirect sperm transfer and, 165–66
malaria parasite development in mosquitoes and, 534
manipulating natural enemies and, 349–50
nonfrugiverous tephritid fruit flies and, 219–22
plasticity in life-history traits and, 76
spider coloration and, 624–26
wasp caste determination and, 328–31, 334
Mortality risk
perceived
plasticity in life-history traits and, 63, 65, 72
Mouth parts
insecticide insect hormone mimics and, 551
Multifactor studies
stream environment biodiversity and, 283–84
Multiple boarding
Mantispidae and, 181
Multiple effects
plant
manipulating natural enemies and, 352
Multitrophic effects
manipulating natural enemies and, 351–52
Musca spp.
insecticide insect hormone mimics and, 560
Mycetocyte
aphid/*Buchnera* symbiosis and nutrition, 17–33
Mygalomorphae
spider coloration and, 623
Myriapoda
indirect sperm transfer and, 159–60
Myzocallis coryli
hazelnut pests and, 399, 403, 406, 410–11
Myzus persicae
aphid/*Buchnera* symbiosis and nutrition, 24–25, 28, 30, 32
insecticide insect hormone mimics and, 560

N

Nabis spp.
higher-order predators and, 439
NADH-ubiquinone oxidoreductase
insecticide research and, 11
Napamichum spp.
mite diseases and, 458
National Integrated Pest Management Initiative
integrated pest management and, 253–54
Natural enemies
Encarsia formosa and, 659
hazelnut pests and, 395
manipulating, 347–61
sustainability of transgenic insecticidal cultivars and, 701, 711–12, 719–21
Natural infection
malaria parasite development in mosquitoes and, 529–30
Natural selection
spider coloration and, 619, 637
Natural systems
spatial heterogeneity and adaptation, 572–74, 586
Neem seed extract
hazelnut pests and, 412–13
insecticide research and, 2–3, 12
Negative correlations
spatial heterogeneity and adaptation, 586
Nematodes
higher-order predators and, 421, 427–29
mite diseases and, 449, 451–54
Neomyzus circumflexus
aphid/*Buchnera* symbiosis and nutrition, 28
Neuroptera
biology of Mantispidae and, 175–91
Neurotoxicants
insecticide research and, 9–11
"New associations" theory
biological control of weeds and, 375
New England
fire and North American forest insects, 110

Newfoundland
fire and North American forest insects, 110
New Hampshire
burying beetles and, 597–600, 606, 609, 613
New Jersey
fire and North American forest insects, 120
phytophagous scarab beetles and, 40, 54
New Orleans
Coccinellidae in biological control and, 306
New York
Coccinellidae in biological control and, 306
New Zealand
biological control of weeds and, 369, 372–73
ecology of Arctic environments and, 88
higher-order predators and, 426
phytophagous scarab beetles and, 46
recombinant baculovirus insecticides and, 506
stream environment biodiversity and, 280–81
Nezara viridula
hazelnut pests and, 401
Nicaragua
eradication and, 476
Niches
burying beetles and, 597
ecology of Arctic environments and, 91
nonfrugiverous tephritid fruit flies and, 225–26, 231–32
Nicotine
insecticide research and, 2, 9–11
Nicrophorus spp.
ecology and behavior, 595–614
mite diseases and, 452
Nigeria
eradication and, 479
Nilaparvata lugens
integrated pest management and, 257
Nitrogen
recycling and upgrading aphid/*Buchnera* symbiosis and nutrition, 17, 26–27
Noctuidae
recombinant baculovirus insecticides and, 495, 498, 507
Noezygites spp.
mite diseases and, 454
Nonadaptive plasticity
life-history traits and, 64
Non-chelicerate arthropods
indirect sperm transfer and, 154–55
Non-target plants
damage to biological control of weeds and, 381–83
North Africa
hazelnut pests and, 396
recombinant baculovirus insecticides and, 495
North America
burying beetles and, 598–600
Coccinellidae in biological control and, 301–10
eradication and, 476, 483–88
fire and insects in northern and boreal forest ecosystems, 107–20
hazelnut pests and, 395–99, 402–8, 411
integrated pest management and, 244
malaria parasite development in mosquitoes and, 520
mite diseases and, 454
recombinant baculovirus insecticides and, 507
stream environment biodiversity and, 283
North Carolina
burying beetles and, 598
eradication and, 481, 483, 488
integrated pest management and, 250
Northern forest ecosystems
North American fire and insects in, 107–20
Northern Pacific Ocean
spatial heterogeneity and adaptation, 584
Norway
ecology of Arctic environments and, 98
Nosema spp.
higher-order predators and, 425
mite diseases and, 457–58
Notonecta unifasciata
insecticide insect hormone mimics and, 561
Nova Scotia
integrated pest management and, 256
Nucleopolyhedroviruses
recombinant baculovirus insecticides and, 494–95, 498, 500, 508–9
Nutrition
ecology of Arctic environments and, 91
fire and North American forest insects, 107
insect-microbial symbioses and, 17–33
manipulating natural enemies and, 351–52
wasp caste determination and, 336–38

O

Oberea linearis
hazelnut pests and, 400–1
Odonata
plasticity in life-history traits and, 69
Odorant-binding proteins
phytophagous scarab beetles and, 39, 56–58
Okinawa Islands
eradication and, 479
Olfactory receptor neurons
phytophagous scarab beetles and, 39, 43, 50–51, 55–56, 58
Ommochromes
spider coloration and, 620–21
Ontario
burying beetles and, 606
eradication and, 485
fire and North American forest insects, 117
mite diseases and, 461
Ontogeny
experimentally stressed woody plants and, 205
phytophagous scarab beetles and, 49
Onychiurus arcticus
ecology of Arctic environments and, 101
Oocysts
malaria parasite development in mosquitoes and, 519, 523–32
Ookinetes
malaria parasite development in mosquitoes and, 519, 522–26, 528, 530–32
Opaque red spots
mite diseases and, 450–51
Operophtera brumata
eradication and, 473
hazelnut pests and, 398
Ophionyssus saurarum
mite diseases and, 459
Optimality
plasticity in life-history traits and, 63

Oral toxicity
insecticide research and, 7
Orchards
commercial
hazelnut pests and, 398–99
Oregon
fire and North American forest insects, 117
hazelnut pests and, 396, 398–99, 403–7, 409–13
Organophosphates
hazelnut pests and, 404, 408
insecticide research and, 1–6, 8–9
integrated pest management and, 257
spatial heterogeneity and adaptation, 578
Orgyia pseudotsugata
fire and North American forest insects, 113, 117
integrated pest management and, 251
recombinant baculovirus insecticides and, 507
Orius majusculus
higher-order predators and, 438
Ornithonyssus bacoti
mite diseases and, 454
Orrusoidea
host-parasitoid interactions in Hymenoptera and, 140, 142
Orthetrum albistrum
insecticide insect hormone mimics and, 561
Orthoptera
insecticide insect hormone mimics and, 556
plasticity in life-history traits and, 67
Oryctes monoceros
chemical ecology and, 49
Ostearius melanopygius
spider coloration and, 633
Ostrinia nubilalis
eradication and, 482
insecticide insect hormone mimics and, 552, 558
sustainability of transgenic insecticidal cultivars and, 715–16, 718
Outbreaks
insect
fire and North American forests, 115–17
Ovary development
wasp caste determination and, 328
Overwintering
ecology of Arctic environments and, 91, 99–100
Mantispidae and, 185–86
Oviposition
ecology of Arctic environments and, 92
hazelnut pests and, 406–7
Mantispidae and, 190–91
nonfrugiverous tephritid fruit flies and, 231–33
plasticity in life-history traits and, 67–68
Oxidation
phytophagous scarab beetles and, 53
Oxycetonia jucunda
phytophagous scarab beetles and, 55
Oxyopidae
spider coloration and, 623–25, 628, 632

P

Pachylomerus femoralis
chemical ecology and, 41
Pachyneuron siphonophorae
higher-order predators and, 431
Pacific Northwest
eradication and, 486
fire and North American forest insects, 110, 113, 117
hazelnut pests and, 398, 403
recombinant baculovirus insecticides and, 507
Paecilomyces spp.
mite diseases and, 457
Paired-indirect transfer
sperm
arthropods and, 157–65
Paleopathology
mite diseases and, 450
Palomena prasina
hazelnut pests and, 400–1
Panama
spider coloration and, 632
Pandemis heparana
insecticide insect hormone mimics and, 561
Panonychus spp.
mite diseases and, 454, 461
Puntala hymenaea
insecticide insect hormone mimics and, 561
Puntilius tunicatus
hazelnut pests and, 401
Papilio spp.
plasticity in life-history traits and, 70, 75
transcriptional control and, 679–80
Papua New Guinea
biological control of weeds and, 373
Paraclemensia acerifoliella
fire and North American forest insects, 112
Pararge aegeria
plasticity in life-history traits and, 74
Parasites
ecology of Arctic environments and, 89, 91
mite diseases and, 449–66
Parasitic wasps
host-parasitoid interactions in Hymenoptera and, 134–36
Parasitoids
ecology of Arctic environments and, 97
Encarsia formosa and, 645–61
higher-order predators and, 421–23, 429–37
insecticide insect hormone mimics and, 548, 562
plasticity in life-history traits and, 67
spatial heterogeneity and adaptation, 586
Parasitus fucorum
mite diseases and, 452
Parathion
insecticide research and, 2, 10
Pardosa glacialis
ecology of Arctic environments and, 97
Parental behaviors
burying beetles and, 601–9
Parlatoria blanchardi
eradication and, 472
Paronychus ulni
mite diseases and, 461
Partial resistance
sustainability of transgenic insecticidal cultivars and, 711
Partitioning
resource
nonfrugiverous tephritid fruit flies and, 224
Passalidae
chemical ecology and, 40
Patch-dynamic framework
stream environment biodiversity and, 275
Patchiness
toxin
spatial heterogeneity and adaptation, 572
Patents
insecticide research and, 14

Paternal care
  burying beetles and, 604–8
Pathogens
  augmentation using
    biological control of weeds and, 370–71
  higher-order predators and, 423–24
  mite diseases and, 449–66
  reservoirs
    recombinant baculovirus insecticides and, 506
  spatial heterogeneity and adaptation, 586
Pauesia spp.
  higher-order predators and, 437
PBAN-like peptides
  phytophagous scarab beetles and, 58
Pectinophora gossypiella
  sustainability of transgenic insecticidal cultivars and, 715–16, 718
Pediculoides hannai
  ecology of Arctic environments and, 95
Pedipalpi
  indirect sperm transfer and, 160–61
Pelodera acarambates
  mite diseases and, 453
Pemphigidae
  aphid/*Buchnera* symbiosis and nutrition, 21, 26
Penicillium spp.
  higher-order predators and, 424
  mite diseases and, 457
Peocilotheria spp.
  spider coloration and, 634
Performance
  insect
    experimentally stressed woody plants and, 195–211
Peridroma saucia
  spatial heterogeneity and adaptation, 578
Periodicity
  phytophagous scarab beetles and, 47
Periplaneta americana
  transcriptional control and, 688
Permanent castes
  wasp caste determination and, 335–36
Permethrin
  hazelnut pests and, 408
  insecticide research and, 2
  spatial heterogeneity and adaptation, 581–82
Peru
  integrated pest management and, 256
Pest adaptations
  manipulating natural enemies and, 356–58
Pest complex
  hazelnut pests and, 399–405
Pest control
  eradication and, 471–89
  fire and North American forest insects, 107, 111–12
  hazelnut pests and, 395–413
  spatial heterogeneity and adaptation, 571
Pesticides
  Coccinellidae in biological control and, 297–98
  Encarsia formosa and, 659–60
  hazelnut pests and, 395, 413
  retrenchment of industry
    insecticide research and, 14
Peucetia viridans
  spider coloration and, 625
Pfs series vaccines
  malaria parasite development in mosquitoes and, 522, 530
pH
  malaria parasite development in mosquitoes and, 524
Phenology
  seasonal
    Mantispidae and, 185–86
    nonfrugiverous tephritid fruit flies and, 228–29
Phenols
  substituted
    insecticide research and, 6
Phenotypic plasticity
  life-history traits and, 64, 67, 75, 78
  spider coloration and, 637
Pheromone-binding proteins
  phytophagous scarab beetles and, 39, 56–57
Pheromones
  burying beetles and, 608
  hazelnut pests and, 412
  phytophagous scarab beetles and, 39–58
  insecticide research and, 11, 12
Phiale spp.
  spider coloration and, 623
Philippines
  integrated pest management and, 258
Philodromidae
  spider coloration and, 626, 632
Phloem sap
  aphid/*Buchnera* symbiosis and nutrition, 32
Phlorotannin
  spatial heterogeneity and adaptation, 584
Pholcidae
  spider coloration and, 622–23, 626
Pholcus spp.
  spider coloration and, 623
Phorate
  insecticide research and, 10
Phoresy
  mite diseases and, 449
Phosphorylation
  insecticide research and, 5–6
Photoperiod
  ecology of Arctic environments and, 89
  plasticity in life-history traits and, 63, 69–70
Phyllopertha diversa
  chemical ecology and, 46, 57
Phyllophaga spp.
  chemical ecology and, 47–48, 51
  insecticide insect hormone mimics and, 556
Phylogenetic extrapolation principle
  recombinant baculovirus insecticides and, 497–99
Phylogeny
  aphid/*Buchnera* symbiosis and nutrition, 21
  host-parasitoid interactions in Hymenoptera and, 129–47
  indirect sperm transfer and, 167–68
Physiology
  ecology of Arctic environments and, 98–101
  insecticide research and, 15
  nutritional
    aphid/*Buchnera* symbiosis and nutrition, 22–23, 33
  reproductive
    wasp caste determination and, 327–28
  spatial heterogeneity and adaptation, 572, 580, 582–87
  spider coloration and, 626
  sustainability of transgenic insecticidal cultivars and, 705
  transcriptional control and, 690–91
Physostigmine
  insecticide research and, 6, 10
Phytophagy
  ecology of Arctic environments and, 89

plasticity in life-history traits and, 68
scarab beetles and, 39–58
Phytoptus avellanae
hazelnut pests and, 400, 402, 405
Phytoseiulus persimilis
higher-order predators and, 438
mite diseases and, 458, 460, 462
Picea spp.
fire and North American forest insects, 110
Picrotoxin
insecticide research and, 10
PICTYL®
insecticide insect hormone mimics and, 557, 560
Pieris napi
plasticity in life-history traits and, 66, 74
Pigmentation
ecology of Arctic environments and, 92–93
spider coloration and, 619–22
Pinus spp.
fire and North American forest insects, 110–11, 115
Piperonyl butoxide
spatial heterogeneity and adaptation, 579
Pirimicarb
insecticide research and, 2
Pisauridae
spider coloration and, 628, 632
Pityohyphantes phrygianus
spider coloration and, 629, 636
Plant breeding
manipulating natural enemies and, 360
Plant Protection Act of 1990
Canadian
biological control of weeds and, 372
Plants
biological control of weeds and, 369–86
ecology of Arctic environments and, 89–92, 95, 97
herbivore defense
spatial heterogeneity and adaptation, 571–87
manipulating natural enemies and, 347–61
phytophagous scarab beetles and, 39–58
stressed
insect performance and, 195–211
Plasmodium spp.
malaria parasite development in mosquitoes and, 519–32
Platygastroidea
host-parasitoid interactions in Hymenoptera and, 143, 145
Platynota idaeusalis
insecticide insect hormone mimics and, 560–61
Pleistophora spp.
mite diseases and, 458–59
Pleiotropy
antagonistic
plasticity in life-history traits and, 69
Pleocomidae
chemical ecology and, 40
Pleurodesmospora spp.
mite diseases and, 457
Pleurosticti
chemical ecology and, 40
Plodia interpunctella
higher-order predators and, 432–33
insecticide insect hormone mimics and, 553–55
sustainability of transgenic insecticidal cultivars and, 706
Plutella xylostella
spatial heterogeneity and adaptation, 579
sustainability of transgenic insecticidal cultivars and, 706–7, 714, 720
Poecilochirus necrophori
mite diseases and, 452
Poikilotherms
ecology of Arctic environments and, 92, 100
Poland
mite diseases and, 461
Polar regions
global climate change and, 85, 101
Polistinae
queen/worker dimorphism and, 330
Polyandry
burying beetles and, 612
Polychlorocycloalkanes
insecticide research and, 9
Polygenic control
spider coloration and, 628–29
Polygonia c-album
plasticity in life-history traits and, 71, 73
Polygyny
burying beetles and 612
Polyhedral inclusion bodies
recombinant baculovirus insecticides and, 498–99
Polymerase chain reaction (PCR)
recombinant baculovirus insecticides and, 500, 508
transcriptional control and, 683
Polymorphisms
genetic
plasticity in life-history traits and, 76
spider coloration and, 619, 627–28
Polyphagy
hazelnut pests and, 404
plasticity in life-history traits and, 72
spatial heterogeneity and adaptation, 577
sustainability of transgenic insecticidal cultivars and, 714, 716
Polyphenism
plasticity in life-history traits and, 76
Ponasterone A (PoA)
insecticide insect hormone mimics and, 554–55, 563
Popillia japonica
eradication and, 472
higher-order predators and, 428
insecticide insect hormone mimics and, 555–56
phytophagous scarab beetles and, 40, 50, 55, 57
Population dynamics
ecology of Arctic environments and, 90
Encarsia formosa and, 651–55
hazelnut pests and, 395
higher-order predators and, 421–39
malaria parasite development in mosquitoes and, 528–33
plasticity in life-history traits and, 68
recombinant baculovirus insecticides and, 506
sustainability of transgenic insecticidal cultivars and, 701, 711–12, 716–17, 720–21
Populus spp.
fire and North American forest insects, 110
Positive correlations
spatial heterogeneity and adaptation, 585–86
Potato leafroll virus
aphid/*Buchnera* symbiosis and nutrition, 32
Potency
insecticide research and, 14
Predators
burying beetles and, 603–4

Coccinellidae in biological control and, 295–310
ecology of Arctic environments and, 89
egg sacs of spiders and, 175–91
fire and North American forest insects, 118
higher-order
overview, 435, 438–39
regulation of insect herbivore populations and, 421–40
insecticide insect hormone mimics and, 548, 562
plasticity in life-history traits and, 67
spider coloration and, 635
Pre-imaginal determination
wasp caste determination and, 328–33, 338–39
Pre-oocyst
malaria parasite development in mosquitoes and, 524–25
Prescribed burning
fire and North American forest insects, 109
Proctotrupoidea
host-parasitoid interactions in Hymenoptera and, 143–45
Product control
Encarsia formosa and, 655–56
Productivity
speed of
recombinant baculovirus insecticides and, 503–4
Prosimulium ursinum
ecology of Arctic environments and, 98
Protandry
plasticity in life-history traits and, 65, 73–74
Proteobacteria
aphid/*Buchnera* symbiosis and nutrition, 18, 20
Protocarus crani
mite diseases and, 450
Protozoa
higher-order predators and, 425–26
mite diseases and, 449, 451, 457–59
Pseudoaletia unipunctata
insecticide insect hormone mimics and, 559
Pseudomonas spp.
insecticide research and, 13
mite diseases and, 461
Pseudoplusia includens
eradication and, 482
Pseudoscorpiones
indirect sperm transfer and, 161
Psylla pyricola
insecticide insect hormone mimics and, 560
Psyllids
Coccinellidae in biological control and, 306
ecology of Arctic environments and, 90
Ptomascopus morio
burying beetles and, 602
Public attitude
insecticide research and, 7
Puparium
nonfrugiverous tephritid, 222
Pygidium
phytophagous scarab beetles and, 39
Pymetrozine
insecticide research and, 10
Pyrazolines
insecticide research and, 11
Pyrenomycetes
aphid/*Buchnera* symbiosis and nutrition, 18
Pyrethroids
hazelnut pests and, 408, 412
insecticide research and, 1–4, 6, 8–11
integrated pest management and, 257
spatial heterogeneity and adaptation, 578–79, 586
Pyridaben
insecticide research and, 11
Pyriproxyfen
insecticide insect hormone mimics and, 557, 545, 558–61
insecticide research and, 11
Pyrophilous species
fire and North American forest insects, 119

Q

Qualitative/quantitative transcriptional control
differential gene expression and, 690
Quarantine
Coccinellidae in biological control and, 303–4
eradication and, 478
Quarantine Act
Australian
biological control of weeds and, 371
Quebec
fire and North American forest insects, 119–20
Queen
wasp caste determination and, 330, 334–35
Quercus spp.
fire and North American forest insects, 111
recombinant baculovirus insecticides and, 507

R

Random screening
insecticide research and, 13
Reaction norms
plasticity in life-history traits and, 63–65, 73, 77
Rearing and release methods
Coccinellidae in biological control and, 304, 307–8
Recently introduced insects
eradication and, 484–87
Recolonization
ecology of Arctic environments and, 89–90
Recombinant baculovirus insecticides
impact evaluation and, 493–511
Recycling
nitrogen
aphid/*Buchnera* symbiosis and nutrition, 17, 26–27
"Red death"
mite diseases and, 463
Redundant killing
sustainability of transgenic insecticidal cultivars and, 711
Reflectance
ultraviolet
spider coloration and, 626
Refractoriness
malaria parasite development in mosquitoes and, 523
Refuges
Coccinellidae in biological control and, 299–300
sustainability of transgenic insecticidal cultivars and, 719–20
Regional scale
stream environment biodiversity and, 271–86
Regulatory authorities
sustainability of transgenic insecticidal cultivars and, 701–2, 707
Release methods
Encarsia formosa and, 656–58
Re-mating
plasticity in life-history traits and, 67

Replicates
number of
experimentally stressed woody plants and, 205–6
Reproductive caste determination
eusocial wasps and
behavior, 327
definitions, 326–27
distinguishing castes, 327–28
experimental queen removal, 334–35
fat body, 328
imaginal determination of caste, 334–35
insemination, 327–28
introduction, 325–26
morphological caste differences, 328–31, 334
nutrition during larval development, 336–38
ovary development, 328
overview, 323–25
perspectives, 323–25
physiological pre-imaginal determination, 331–33
pre-imaginal determination, 328–33, 338–39
queen succession, 334–35
reproductive physiology, 327–28
social evolution, 339
species lacking permanent castes, 335–36
Reproductive stages
insecticide insect hormone mimics and, 545, 558–59
Reproductive success
plasticity in life-history traits and, 64
Resistance
drug
malaria parasite development in mosquitoes and, 534
hazelnut pests and, 409–10
insecticide insect hormone mimics and, 561–62
insecticide research and, 1, 8–9, 12–13
manipulating natural enemies and, 355–58
spatial heterogeneity and adaptation, 571, 585–86
sustainability of transgenic insecticidal cultivars and, 701–2, 705–12
Resmethrin
insecticide research and, 2
Resource depletion
plasticity in life-history traits and, 74
Resource heterogeneity
nonfrugiverous tephritid fruit flies and, 223
Resource partitioning
burying beetles and, 595, 597–600
nonfrugiverous tephritid fruit flies and, 224
Resource utilization
nonfrugiverous tephritid fruit flies and, 224–25
Respiratory inhibitors
insecticide research and, 11
Response elements
transcriptional control and, 679–80
Restriction fragment length polymorphism (RFLP)
recombinant baculovirus insecticides and, 508
Retinoic acid receptor
insecticide insect hormone mimics and, 560
Reverse clines
ecology of Arctic environments and, 96
RH-0345
insecticide insect hormone mimics and, 549, 555
RH-2485
insecticide insect hormone mimics and, 549, 555–56, 561–62
RH-5849
insecticide insect hormone mimics and, 548–55, 563
RH-5992
insecticide insect hormone mimics and, 548, 555
Rhabdophaga spp.
ecology of Arctic environments and, 99
Rhagoletis alternata
plasticity in life-history traits and, 71
Rhizotrogus majalis
insecticide insect hormone mimics and, 556
Rhodnius prolixus
insecticide insect hormone mimics and, 548, 559
transcriptional control and, 682
Ribosomal DNA (rDNA)
aphid/*Buchnera* symbiosis and nutrition, 20
Rickettsiae
mite diseases and, 449, 451, 457, 459–60
Rickia spp.
mite diseases and, 457
Right sizing
insecticide research and, 14
Rio Grande River
lower
eradication and, 479
Risk assessment
biological control of weeds and, 385
eradication and, 475
malaria parasite development in mosquitoes and, 520
recombinant baculovirus insecticides and, 493
Rizotrogus aequinoctialis
chemical ecology and, 51
Rocky Mountains
fire and North American forest insects, 110, 113
stream environment biodiversity and, 282
ROMDAN®
insecticide insect hormone mimics and, 548
Rosa spp.
plasticity in life-history traits and, 71
Rotenone
insecticide research and, 2–3, 10–11
Rugathodes bellicosis
spider coloration and, 630
Russia
eradication and, 486
hazelnut pests and, 398
northern
ecology of Arctic environments and, 86, 98
Rutelines
phytophagous scarab beetles and, 39–46
Ryania
insecticide research and, 2
Ryanodine
insecticide research and, 2

S

Sabadilla
insecticide research and, 2
Saccharomyces cerevisiae
transcriptional control and, 672
Safe extracellular areas
ecology of Arctic environments and, 98
Safety
insecticide research and, 14
Saint Lawrence Seaway
Coccinellidae in biological control and, 306
Salivary glands
malaria parasite development in mosquitoes and, 519, 524, 526–28

Salix caprea
plasticity in life-history traits and, 71
Salticidae
spider coloration and, 623, 628, 632–33, 636
Salticus spp.
spider coloration and, 623, 633
Samia cynthia ricini
phytophagous scarab beetles and, 57
Saprophages
fire and North American forest insects, 118
Saprophytes
higher-order predators and, 424
Sarcophage peregrina
transcriptional control and, 686
Saturated fatty acids
phytophagous scarab beetles and, 52
"Saw-tooth" pattern
plasticity in life-history traits and, 72
Scandinavia
ecology of Arctic environments and, 86
Scapteriscus borellii
higher-order predators and, 428
Scarab beetles
phytophagous
aggregation pheromones, 49
chemical communication, 41–49
enantiomeric pheromonal agonist-antagonist activity, 50–51
future research, 58
introduction, 39–41
melolonthines, 46–49
odor perception, 55–56
plant kairomones, 54–55
rutelines, 41–46
sex pheromone glands, 51
sex pheromones, 41–49, 52–54
signal transduction molecular biology, 56–58
Schizaphis graminum
aphid/*Buchnera* symbiosis and nutrition, 28
Scolytidae
fire and North American forest insects, 112, 118
Scorpiones
indirect sperm transfer and, 160
recombinant baculovirus insecticides and, 495, 502–3
Scotland
mite diseases and, 462
Scramble competition
plasticity in life-history traits and, 74
Screwworm
eradication and, 471, 476–77
Seasonality
burying beetles and, 597–99
ecology of Arctic environments and, 89, 91–92, 96–100
hazelnut pests and, 406
Mantispidae and, 185–86
nonfrugiverous tephritid fruit flies and, 228–29
plasticity in life-history traits and, 63, 65, 68, 71, 73–74
Secondary symbionts
aphid/*Buchnera* symbiosis and nutrition, 21
Selection
ecology of Arctic environments and, 94
manipulating natural enemies and, 347–61
plasticity in life-history traits and, 67
spider coloration and, 619, 631–37
Selective compounds
insecticide research and, 1
Self-superparasitism
higher-order predators and, 430
Semiochemicals
plant
manipulating natural enemies and, 350–51
Sensilla
olfactory
phytophagous scarab beetles and, 55–58
Serratia entomophila
higher-order predators and, 426
Sesquiterpenoids
insecticide insect hormone mimics and, 545–46
Sex-determination factor binding sites
transcriptional control and, 678
Sex pheromones
hazelnut pests and, 412
phytophagous scarab beetles and, 39, 41–54
Sexual dimorphism
plasticity in life-history traits and, 65, 70, 73
spider coloration and, 619, 636
Sexual reproduction
ecology of Arctic environments and, 89
plasticity in life-history traits and, 63
Sexual selection
plasticity in life-history traits and, 63
Sheath cells
aphid/*Buchnera* symbiosis and nutrition, 21
Sicily
hazelnut pests and, 406
Sigmodon hispidus
mite diseases and, 454
Signal transduction
phytophagous scarab beetles and, 56–58
Silafluofen
insecticide research and, 2, 6
Silent Spring
insecticide research and, 7
Silk gland
transcriptional control and, 674
Silphidae
ecology and behavior, 595–614
mite diseases and, 452
Simulium vittatum
transcriptional control and, 689
Siricidae
fire and North American forest insects, 115
Sitobion miscanthi
ecology of Arctic environments and, 88
Size
adult
plasticity in life-history traits and, 63, 65–67, 71, 73–74, 77
indirect sperm transfer in arthropods and, 169
reduction
ecology of Arctic environments and, 85, 93–95
stream
stream environment biodiversity and, 282
Smittia extrema
ecology of Arctic environments and, 93
Social evolution
reproductive caste determination and, 339–41
"Soft" pesticides
hazelnut pests and, 395, 413
Solar furnaces
ecology of Arctic environments and, 92
Solar radiation
ecology of Arctic environments and, 90, 92–93
Solenopsis spp.
eradication and, 472, 483
insecticide insect hormone mimics and, 558

South Africa
biological control of weeds and, 369, 372–73
Coccinellidae in biological control and, 305, 308
South America
biological control of weeds and, 373
Coccinellidae in biological control and, 306, 308
eradication and, 476
integrated pest management and, 244
mite diseases and, 454
recombinant baculovirus insecticides and, 507
stream environment biodiversity and, 283
South Asia
phytophagous scarab beetles and, 49
South Carolina
eradication and, 481, 488
South Dakota
Coccinellidae in biological control and, 305, 308
Southeast Asia
burying beetles and, 597
integrated pest management and, 257, 260
phytophagous scarab beetles and, 49
Spain
Coccinellidae in biological control and, 305
hazelnut pests and, 406
Sparassidae
spider coloration and, 632
Spatial dynamics
ecology of Arctic environments and, 85
Spatial heterogeneity
insect adaptation to toxins and behavior, 575–86
defenses, 582–84
deterrence, 582–84
genetics, 580–82
herbivores, 582–85
independence from toxic effects, 576
low doses, 583
managed systems, 574–75
natural systems, 572–74
negative correlations, 586
overview, 571–72
perspectives, 571–72
pest avoidance, 585–86
physiological responses, 580–86
positive correlations, 585–86
resistance management, 585–86
spatial distribution of toxins, 572–86
spatial scales, 572–85
sublethal effects, 577–80
temporal variability, 574–75
tolerance, 580–86
trade-offs, 583
variation, 583
Spatial variation
plasticity in life-history traits and, 76
Speciation
burying beetles and, 596
ecology of Arctic environments and, 85–90, 94, 101
fire and North American forest insects, 107–8, 118–20
hazelnut pests and, 397–98
indirect sperm transfer in arthropods and, 169
plasticity in life-history traits and, 78
Sperm
indirect transfer in arthropods, 153–69
plasticity in life-history traits and, 67
Spermatophores
indirect sperm transfer and, 155–56, 165–69
Sphagnum spp.
ecology of Arctic environments and, 87
Spider coloration
costs, 629–31
future research, 637–38
genetic variation between individuals
genetic polymorphisms, 627–28
genetic variation between individuals, 627–29
major gene control, 627–28
polygenic control, 628–29
introduction, 619–20
pigment localization
bilins, 621
guanine, 621
ommochromes, 620–21
pigments of unknown chemical affinity, 621–22
reversible changes in color variation
background matching, 625
behavioral color change, 626–27
cave spider darkening, 625–26
environmentally induced color changes, 624–27
food-induced coloration, 624
morphological color change, 624–26
physiological color change, 626
ultraviolet (UV) reflectance, 626
selection for color
aposematism, 634
convergent evolution of coloration and other traits, 632
crypsis, 631–33
disruptive coloration, 632–33
melanism, 633
mimicry, 633–34
predator avoidance, 635
sexual dimorphism, 636
thermoregulation, 635–36
structural colors, 622–23
taxonomic distribution of pigmentary and structural colors, 622–23
Spiders
ecology of Arctic environments and, 95
egg sacs of Mantispidae and, 175–91
Spinosad
insecticide research and, 10–11
Spitsbergen
ecology of Arctic environments and, 87–88, 90, 93, 95, 100–1
Spodoptera spp.
insecticide insect hormone mimics and, 550–52, 555, 558, 561, 579
Sporogony
malaria parasite development in mosquitoes and, 519, 523–24, 528, 532
Sporozoite
malaria parasite development in mosquitoes and, 519, 523–24, 526–33
Spreading of risk
higher-order predators and, 430
Stability
recombinant baculovirus insecticides and, 505–6, 508–9
Stable defenses
spatial heterogeneity and adaptation, 583–84
Stable-limit cycles
recombinant baculovirus insecticides and, 504

Stacking
  sustainability of transgenic insecticidal cultivars and, 711
Steinernema spp.
  higher-order predators and, 427–28
Stephanoidea
  host-parasitoid interactions in Hymenoptera and, 140, 142
Stephanopis spp.
  spider coloration and, 631, 633
Stereochemical discrimination
  phytophagous scarab beetles and, 39, 50
Sterile insect release (SIR) programs
  eradication and, 475, 480, 483, 487
Sterols
  aphid/*Buchnera* symbiosis and nutrition, 17, 27–28
Stochastic mechanisms
  stream environment biodiversity and, 275
Storage
  Encarsia formosa and, 655–56
Storage proteins
  transcriptional control and, 686–87
Stream insects
  biodiversity of
    altitude, 282
    basin vegetation, 282
    biome, 282–83
    biotic interactions, 279–80
    conceptual foundations, 272–75
    continentality, 282–83
    disturbance, 279
    empirical foundations, 275–77
    flow, 281
    food, 279
    habitat type, 278–79
    hydraulics, 281
    introduction, 271–72
    latitude, 282–83
    light, 279
    multifactor studies, 283–84
    regional factors, 282–83
    stream size, 282
    substrate, 277–78
    temperature, 280–81
    water chemistry, 280
Stresses
  ecology of Arctic environments and, 85
  experimental
    of woody plants, 195–211
Structural colors
  spider coloration and, 622–23
Sublethal effects
  spatial heterogeneity and adaptation, 577–80
Sub-Saharan Africa
  malaria parasite development in mosquitoes and, 519
Substrate
  phytophagous scarab beetles and, 39
  stream environment biodiversity and, 277–78
Succession
  fire and North American forest insects, 107, 112–15
Sucking insects
  insecticide research and, 10
Sulfur
  insecticide research and, 2
SUMILARV®
  insecticide insect hormone mimics and, 557
Supercooling
  ecology of Arctic environments and, 99
Supernumerary oviposition
  nonfrugiverous tephritid fruit flies and, 233
Superparasites
  ecology of Arctic environments and, 89
Suppression
  fire and North American forest insects, 107–8, 115–17
Survival
  malaria parasite development in mosquitoes and, 519, 527–28
Sustainable agriculture
  integrated pest management and, 260
  transgenic insecticidal cultivars and, 701–21
Svalbard
  ecology of Arctic environments and, 86
Sweden
  ecology of Arctic environments and, 99
  plasticity in life-history traits and, 73
Switzerland
  insecticide research and, 4
Symbioses
  aphid-microbial nutritional interactions and, 17–33
  mite diseases and, 449, 452
"Symphyta"
  host-parasitoid interactions in Hymenoptera and, 134
Synalus angustus
  spider coloration and, 631
Synergism
  plasticity in life-history traits and, 65
Synthetic agents
  insecticide research and, 2–3, 5, 9–10, 12, 14–15
System stability
  hazelnut pests and, 398–99

T

Taeniothrips inconsequens
  fire and North American forest insects, 112
Taiga
  Alaskan
    fire and North American forest insects, 110
Tama fickerti
  spider coloration and, 631, 633
Tanzania
  biological control of weeds and, 373
Taraxacum officinale
  phytophagous scarab beetles and, 55
Target site block
  insecticide research and, 8, 12
Tartarus mullamullagensis
  spider coloration and, 629
TATA box
  transcriptional control and, 675–76
Taxonomy
  aphid/*Buchnera* symbiosis and nutrition, 29
  burying beetles and, 600–1
  ecology of Arctic environments and, 87
  experimentally stressed woody plants and, 205
  indirect sperm transfer and, 157–65
  plasticity in life-history traits and, 69
  spider coloration and, 622
Tebufenozide
  insecticide insect hormone mimics and, 545, 548–56, 561–62
  insecticide research and, 10–11
Tefluthrin
  insecticide research and, 6
Tegenaria spp.
  spider coloration and, 623

Temperature
ecology of Arctic environments and, 86–87, 89–94, 97–100
fire and North American forest insects, 112
malaria parasite development in mosquitoes and, 520, 524, 532
plasticity in life-history traits and, 63, 65, 68, 70–71, 75–77
stream environment biodiversity and, 280–81
Temporal factors
burying beetles and, 597–99
plasticity in life-history traits and, 63, 65, 68, 72–74, 76–78
spatial heterogeneity and adaptation, 574–75
transcriptional control and, 677–78
Tephritid fruit flies
nonfrugiverous
adult biology, 234–35
aestivation, 230
aggregative life-history strategy, 228–29
circumnatal life-history strategy, 229
clutch size, 232–33
destructive species, 219
diapause, 230
ecological theory, 222–30
eggs, 220–21, 231–33
extrinsic factors, 226–27
facultative niche exploitation, 225–26
feeding habits, 219
guild structure, 223–24
host associations, 227–28
immature stage biology, 219–22, 230–34
intrinsic factors, 226–27
larvae, 221–34
morphology, 219–22
overview, 217–18
oviposition, 231–33
perspectives, 217–18
puparium, 222
resource heterogeneity, 223
resource partitioning, 224
resource utilization, 224–25
seasonal distribution and phenology, 228–29
supernumerary oviposition, 233
trophic niche, 231–32
useful species, 219
voltinism, 229
zoogeography, 218–19
TEPP
insecticide research and, 2
Terpenoids
insecticide insect hormone mimics and, 557
phytophagous scarab beetles and, 39, 48
spatial heterogeneity and adaptation, 583–84
Territories
indirect sperm transfer and, 162–63
Tetragnatha spp.
spider coloration and, 621, 626, 632
Tetragnathidae
spider coloration and, 621, 623, 626, 630, 635
Tetranychus spp.
higher-order predators and, 438
mite diseases and, 454, 460–65
spatial heterogeneity and adaptation, 577
Texas
eradication and, 479–80, 483
integrated pest management and, 251
Thailand
biological control of weeds and, 373
Thelohania spp.
mite diseases and, 458
Thelytoky
Encarsia formosa and, 649
Theraphosidae
spider coloration and, 623, 634
Theridiidae
spider coloration and, 621, 623–24, 626–30, 632, 634–36
Theridion grallator
spider coloration and, 624, 627–29, 632, 635
Theridiosoma spp.
spider coloration and, 621
Thermoregulation
ecology of Arctic environments and, 85
spider coloration and, 635–36
Thiourea
insecticide research and, 11
Third-generation insecticides
insecticide insect hormone mimics and, 561
Thomisidae
spider coloration and, 622–26, 631–34
Thomisus labefactus
spider coloration and, 626, 634
Thrombospondin-related adhesive protein (TRAP)
malaria parasite development in mosquitoes and, 527
Thuja occidentalis
fire and North American forest insects, 111
Thysanura
indirect sperm transfer and, 158–59
Tipula arctica
ecology of Arctic environments and, 93
Tipulids
ecology of Arctic environments and, 95
Tissue-specific regulatory sequences
transcriptional control and, 677–78
Tolerance
spatial heterogeneity and adaptation, 580–82, 585–86
Top-down control
higher-order predators and, 421–23
"Top-killed" trees
fire and North American forest insects, 114
TORUS®
insecticide insect hormone mimics and, 557, 560
Toxaphene
insecticide insect hormone mimics and, 545
insecticide research and, 2, 5, 9
Toxicology
insecticide research and, 7–8, 11, 14–15
spatial heterogeneity and adaptation, 571–87
Trade-offs
indirect sperm transfer in arthropods and, 169
plasticity in life-history traits and, 63, 67, 72, 74–75, 77
spatial heterogeneity and adaptation, 583
Transcriptional control
cis-acting DNA sequences
cell type, 677–78
core promoter, 675–76
enhancers, 677
environmental response elements, 679–80
homeobox, 678–79
hormone response elements, 680
initiator region, 676
response elements, 679–80
sex-determination factor binding sites, 678

TATA box, 675–76
temporal control, 677–78
tissue-specific regulatory sequences, 677–78
upstream promoter, 676–77
eukaryotic regulation of transcription
DNA sequences and factors, 673–74
overview, 672–73
research focus, 675
silk gland, 674
evolution, 691–92
expression systems, 688–89
hormonal control of gene expression, 680
ecdysone receptor, 681–82
juvenile hormone, 682
introduction, 671–72
model systems, 682
chorion, 683–84
cuticle, 684–85
immune response, 685–86
storage proteins, 686–87
vitellogenin, 687–88
perspectives, 689–92
physiology, 690–91
qualitative vs quantitative transcriptional control, 690
Transfer
larval
from one spider to another by Mantispidae, 183
Transgenic insecticidal cultivars (TICs)
classical background, 702
currently commercialized TICs, 717–19
effective refuge size increase, 719–20
high-dose approach, 712–16
initial frequency of toxin-resistance genes, 706–7
introduction, 701–2
population dynamics importance, 716–17
resistance management for vulnerable *Bacillus thyringiensis* (Bt) genes, 707
low doses of toxins that act in concert with natural enemies to decrease pest population density, 711–12
mixtures of toxic and non-toxic cultivars, 708–10
signal-dependent toxin expression, 712
stacking of two or more toxins in each TIC, 711
time-dependent toxin expression, 712
tissue-dependent toxin expression, 712
sustainability of
classical background, 703–5
resistance to Bt toxins, 705–6
Translocation
recombinant baculovirus insecticides and, 505–6
Transmission
aphid/*Buchnera* symbiosis and nutrition, 21, 32
malaria parasite development in mosquitoes and, 519–23, 526, 530–31, 534
recombinant baculovirus insecticides and, 504–5
Transmission dynamics theory
recombinant baculovirus insecticides and, 504–5
Transovarial transmission
aphid/*Buchnera* symbiosis and nutrition, 21, 32
Trees
fire and North American forest insects, 107–20
Trialeurodes vaporariorum
insecticide insect hormone mimics and, 558, 560
Tribolium castaneum
transcriptional control and, 678–79
Trichinae
chemical ecology and, 40
Trichocera borealis
ecology of Arctic environments and, 93
Trichogramma spp.
hazelnut pests and, 411
Trichoplusia ni
transcriptional control and, 682
Trigonalyoidea
host-parasitoid interactions in Hymenoptera and, 143, 145
Trioxys spp.
hazelnut pests and, 403, 411
higher-order predators and, 431, 437
Triploporium fresenii
hazelnut pests and, 410
Trogidae
chemical ecology and, 40
Troglohyphantes spp.
spider coloration and, 625–26
Trophic cascade
recombinant baculovirus insecticides and, 500
Trophic niche
nonfrugiverous tephritid fruit flies and, 231–32
trp genes
aphid/*Buchnera* symbiosis and nutrition, 26, 29
True wasps
host-parasitoid interactions in Hymenoptera and, 134–36
Trypsin
malaria parasite development in mosquitoes and, 522
Tsuga canadensis
fire and North American forest insects, 111
Tundra
ecology of Arctic environments and, 87–88, 95, 97
fire and North American forest insects, 109
Turkey
hazelnut pests and, 395–402, 405–6, 408, 410, 412
Two-level plasticity
life-history traits and, 76
Tylenchida
mite diseases and, 452
Tyrophagus spp.
mite diseases and, 454

U

Uganda
biological control of weeds and, 373
Ulmus spp.
fire and North American forest insects, 111
Ultraviolet (UV) reflectance
spider coloration and, 626
Ultraviolet-beta (UV-B) radiation
ecology of Arctic environments and, 93
United Kingdom
Coccinellidae in biological control and, 301
recombinant baculovirus insecticides and, 495
United States
biological control of weeds and, 369–73
burying beetles and, 597–600, 606, 609, 613
Coccinellidae in biological control and, 301–9
eradication and, 476–86, 488
fire and North American forest insects, 108–9, 115, 117, 119–20
hazelnut pests and, 395, 397–99, 401, 403–4, 406–13

insecticide insect hormone mimics and, 549
insecticide research and, 5
integrated pest management and, 243–44, 246–47, 250–52, 256
phytophagous scarab beetles and, 40, 45–46, 54
recombinant baculovirus insecticides and, 495, 507
stream environment biodiversity and, 281–82
sustainability of transgenic insecticidal cultivars and, 702
United States Department of Agriculture (USDA)
biological control of weeds and, 372
eradication and, 478
integrated pest management and, 250–51, 253
phytophagous scarab beetles and, 54
Unrewarding experiences
manipulating natural enemies and, 354–55
Upgrading
nitrogen
aphid/*Buchnera* symbiosis and nutrition, 17, 26–27
Upstream promoter
transcriptional control and, 676–77
Urtica dioica
plasticity in life-history traits and, 71
Utilization
resource
nonfrugiverous tephritid fruit flies and, 224–25

V

Vaccines
malaria parasite development in mosquitoes and, 521–23, 526, 530, 534
Valginae
chemical ecology and, 40
Vancouver
eradication and, 474, 486
Variation
aphid/*Buchnera* symbiosis and nutrition, 29, 33
experimentally stressed woody plants and, 199–203
intraspecific
manipulating natural enemies and, 353–54
malaria parasite development in mosquitoes and, 531–33
plasticity in life-history traits and, 63–64, 76
spatial heterogeneity and adaptation, 583, 586
spider coloration and, 619, 624–29
VARIKILL®
insecticide insect hormone mimics and, 557
Vatacarus spp.
mite diseases and, 454, 459
Veratridine
insecticide research and, 23
Versatility
aphid/*Buchnera* symbiosis and nutrition, 30–31, 33
Vertebrates
bisacylhydrazine safety and, 556, 560–61
carcasses
burying beetles and, 595–97, 599–614
Verticillium spp.
mite diseases and, 456
Vespidae
reproductive caste determination and, 323–41
Vespilloides spp.
mite diseases and, 452
Vespoidea
host-parasitoid interactions in Hymenoptera and, 142
Vietnam
biological control of weeds and, 373
Virginia
eradication and, 481
Viron H™
recombinant baculovirus insecticides and, 494
Viruses
aphid/*Buchnera* symbiosis and nutrition, 17, 32
higher-order predators and, 426
insecticide research and, 15
mite diseases and, 449, 461–65
recombinant baculovirus insecticides and, 493–511
Vitamins
aphid/*Buchnera* symbiosis and nutrition, 28–29
Vitellogenin
insecticide insect hormone mimics and, 548, 559
transcriptional control and, 687–88
Voltage-dependent sodium channel
insecticide research and, 9–10
Voltinism
burying beetles and, 598
ecology of Arctic environments and, 90
nonfrugiverous tephritid fruit flies and, 229
plasticity in life-history traits and, 72–73
sustainability of transgenic insecticidal cultivars and, 709
Vulnerability
sustainability of transgenic insecticidal cultivars and, 707–12

W

Warming
global
ecology of Arctic environments and, 86
Washington
hazelnut pests and, 398, 403–5, 407, 410–11
stream environment biodiversity and, 282
Wasps
ecology of Arctic environments and, 97
host-parasitoid interactions in Hymenoptera and, 134–36
reproductive caste determination and, 323–41
Water chemistry
stream environment biodiversity and, 280
Weeds
biological control and, 369–86
Western Asia
hazelnut pests and, 396
Western Europe
hazelnut pests and, 408
Whitefly
aphid/*Buchnera* symbiosis and nutrition, 18
Coccinellidae in biological control and, 305
Encarsia formosa and, 645–61
Whole organism effects
insecticide insect hormone mimics and, 557
Wildlife Protection Act
Australian
biological control of weeds and, 371
Wild-type populations
recombinant baculovirus insecticides and, 508

Wings
  ecology of Arctic environments and, 85, 95–96
Wisconsin
  fire and North American forest insects, 110, 118
  integrated pest management and, 251
Wiseana spp.
  recombinant baculovirus insecticides and, 506
Woody plants
  insect performance on stressed
    database, 197–98
    developmental stage, 202
    duration and timing of stress treatments, 206–7
    experiment type, 207
    feeding guild, 199–202
    feeding specialization, 202–3
    feeding stress type, 203–4
    future research, 209–11
    leaf longevity, 205
    meta-analysis, 198–99
    overview, 195–97
    patterns in insect responses to stressed plants, 207–9
    plant growth rate, 204
    plant ontogenetic stage, 205
    plant taxa, 205
    replicate number, 205–6
    scope, 195–97
    timing of feeding, 202
    variation related to experimental design, 205–7
    variation related to host plant, 203–5
    variation related to insect traits, 199–203

X

Xanthomonas campestris
  eradication and, 472, 477
Xenillus spp.
  mite diseases and, 457
Xenorhabdus spp.
  higher-order predators and, 427
Xyleborus dispar
  hazelnut pests and, 400–1
Xylocoris flavipes
  higher-order predators and, 432
Xylophagus spp.
  ecology of Arctic environments and, 99

Y

Yeasts
  aphid/*Buchnera* symbiosis and nutrition, 18
Yellowstone National Park
  fire and North American forest insects, 115
Yugoslavia
  spider coloration and, 634
Yukon Territory
  fire and North American forest insects, 110, 120

Z

Zambia
  biological control of weeds and, 373
Zelus renardii
  higher-order predators and, 439
Zetzellia mali
  higher-order predators and, 438
Zingiber officonae
  phytophagous scarab beetles and, 55
Zoogeography
  nonfrugiverous tephritid fruit flies and, 218–19
Zoophthora spp.
  mite diseases and, 454
Zygotes
  malaria parasite development in mosquitoes and, 524–25, 528, 530